



Science.
Applied to Life.™

Cleaning and Workplace Safety

3M™ Floor Pads

Durable solutions for a sustainable future.

3M is committed to developing sustainable solutions that outperform their conventional alternatives and to manufacturing them in a way that minimizes our environmental footprint.



Longer-lasting pads. Beautiful floors. Less waste.

Your floors are one of the first points of contact for your visitors, employees and guests. Keep them looking impressive with durable, sustainable 3M™ Floor Pads.

Incorporating the latest innovations from 3M's leadership in abrasive technology, 3M floor pads are engineered to help reduce the cost of cleaning and maximize the effectiveness of your floor program. All while keeping waste to a minimum.

- Every 3M floor pad has been developed specifically to accomplish a particular floor maintenance task.

- Exceptionally durable, 3M floor pads maintain their effectiveness significantly longer than competitive floor pads and need to be replaced less often. That means fewer 3M pads wind up in landfills.
- Despite their superior performance and durability, 3M floor pads biodegrade at approximately the same rate as less effective pads.

So whether you're stripping, scrubbing, buffing, burnishing, finishing or everyday cleaning, 3M floor pads are the durable, sustainable solution for making your facility shine.



Greener Solutions

To further improve their environmental profile, 3M floor pads* are made with at least 50% post-consumer recycled materials and water-based latex resins. Plus, our packaging is 100% recyclable and made with 50-100% recycled content.

The polyester fiber used to make a range of floor pads* contains a minimum of 50% post-consumer recycled content. The recycled polyester fiber used is third-party certified for post-consumer recycled content.

*3M™ Brand Floor Pad families include: 3200, 3300, 3400, 3500, 3600, 5000 and 5100.


*Niagara™ Brand Floor Pad families include 3300N, 3400N, 3500N, 3700N, 5100N, 5400N and 7200N.

Performance that's more than skin deep.

Floor pads may look the same on the outside, but on the inside is where it really counts. And that's where 3M's long history in abrasive technology really stands out. Anybody can make a floor pad, but not everyone can make a floor pad that maintains its effectiveness through day after day of hard use.

- Tough mineral and resin abrasives are distributed uniformly from the outside to the inside of 3M floor pads.
- 3M floor pad fibers are individually separated and coated to last longer and produce the most consistent, high quality results.
- Thin, conformable 3M floor pad fibers are designed to optimize floor contact, a key factor in their effectiveness.

The fibers tell the story.



3M™ Floor Pad fibers

Thin, conformable fibers are uniformly coated with tough, water-based resins throughout the pad—not just on the surface—maximizing pad-to-floor contact.



Other Floor Pad fibers

Larger, stiffer fibers are randomly coated on surface areas only, providing fewer contact points with the floor and inconsistent results.

Maintenance Operation

Equipment Speed

First Choice

Stripping

To remove finish, sealer and contaminants from the floor surface.

Rotary or Automatic

Low Speed
175–600 RPM



3M™ High Productivity Pad 7300
Our most aggressive stripping pad. Unique open construction resists loading and clogging. For fast removal of finish and proven consistent stripping.

Scrubbing

To provide a fresh new surface for finishing.

Rotary or Automatic

Low Speed
175–600 RPM




Scotch-Brite™ Surface Preparation Pad
Heavy-duty scrubbing for 2–4 coat removal prior to recoating.

Cleaning

To remove light soil and other contaminants.

Rotary or Automatic

Low Speed
175–600 RPM



3M™ Red Buffer Pad 5100
Designed for everyday cleaning and light scrubbing to remove light soil, scuff marks and black heel marks.

Buffing

To remove scuffs and black heel marks and enhance floor appearance.

Rotary

Low Speed
175–600 RPM



3M™ White Super Polish Pad 4100
Ideal for removing soil and scuff marks with minimal dulling. Also used to polish wood floors.

Burnishing

To remove scuffs and marks, repair finish and improve gloss and image clarity.

Electric, Battery, Propane

Ultra High Speed
1500 RPM & Above




3M™ Eraser Burnish Pad 3600
Removes black marks and returns gloss in fewer passes than other pads while producing less dust. Ideal for harder finishes and high traffic areas. Excellent durability and minimal finish removal.

Best Gloss

Electric, Battery, Propane

Ultra High Speed
1500 RPM & Above



3M™ TopLine Speed Burnish Pad 3200
Optimizes UHS burnishing on a wide variety of finishes. Combines black mark removal and gloss generation in one pad.

Soft Finish

Electric, Battery, Propane

Ultra High Speed
1500 RPM & Above



3M™ Sky Blue Hi-Performance Burnish Pad 3050
Restores gloss to dull floors. Designed for frequent burnishing with less dust, point buildup and burning.

Stone Floor Conditioning

To clean and condition worn and dull stone floors.

Rotary, Automatic, Electric, Battery or Propane

Low to Ultra High Speed
175–1500 RPM & Above



Scotch-Brite™ Sienna Diamond Floor Pad Plus
Diamond-coated floor pads clean and condition worn and dull marble, terrazzo, slate and polished concrete, bringing it to a medium gloss.

Stone Floor Polishing

To clean and polish stone floors with medium shine in good condition.

Rotary, Automatic, Electric, Battery or Propane

Low to Ultra High Speed
175–1500 RPM & Above



Scotch-Brite™ Purple Diamond Floor Pad Plus
Diamond-coated floor pads further enhance the appearance of terrazzo, slate and polished concrete.

Alternate Choices



3M™ Black Stripper Pad 7200
Standard of the industry. Consistent proven performance. Long pad life.



3M™ Blue Cleaner Pad 5300
Heavy-duty scrubbing for 1–2 coat removal prior to recoating.



3M™ TopLine Autoscrubber Pad 5000
Scrubs and cleans. Open construction resists clogging. Ideal for autoscrubbers.



3M™ Red Buffer Pad 5100
Designed for everyday cleaning and light scrubbing to remove light soil, scuff marks and black heel marks.



3M™ Natural Blend Tan Pad 3500
Blend of natural and synthetic fibers. Ideal for harder finishes and high traffic conditions. Removes marks and scuffs while polishing.



3M™ Natural Blend White Pad 3300
Blend of natural and synthetic fibers. Excellent results on a wide variety of finishes and traffic conditions. Consistent high gloss with minimal swirl marks.




3M™ Aqua Burnish Pad 3100
Good gloss improvement with exceptional durability and life. The soft finish problem solver.



3M™ Brown Stripper Pad 7100
Conformable stripping pad for uneven floors. Super heavy-duty scrubbing for 2–4 coat removal.



3M™ White Super Polish Pad 4100
Used for light cleaning to help remove soil and scuff marks with minimal dulling of finish. Can also be used to polish wood floors.



3M™ Tan Burnish Pad 3400
Produces good gloss improvement while removing scuffs and marks. Exceptional durability and life. Ideal for harder finishes and high traffic conditions.



Choose the right floor pad for the job.

No two floor maintenance jobs are exactly alike. That's why 3M, the inventor of floor pad technology and the world's number one floor pad supplier, manufactures a wide range of products designed for specific types of equipment and maintenance tasks. Use this chart to help you choose the pads you need or contact your 3M representative for help.



Proven superior: on the floor *and* in the lab.

The effectiveness of 3M™ Floor Pads has been proven over and over again by customers throughout the world. 3M scientists also test the performance of 3M floor pads against competitive products in controlled laboratory conditions. These charts show how 3M floor pads significantly outperform competitive pads in durability, aggressiveness and deep scrubbing.



Floor Stripping: Aggressiveness



Deep Scrubbing: Aggressiveness, Floor Finish & Deep Scuff Removal



Burnishing: Durability



Floor Pad Cross-Reference Chart

If you're currently using another brand of floor pads, consult this chart to help you decide which 3M™ Floor Pad would make a good substitute for the pad you're using now. Keep in mind that 3M floor pads deliver a higher level of performance than competitive floor pads in virtually every category.

Operation	3M™ Floor Pads	Niagara™	ETC of Henderson, Inc.	Americo	Norton® Abrasives	ACS/Scrubble®
Stripping	3M™ High Productivity Pad 7300	High Performance 7400N	Razorback®	The Dominator	Ultra Blue Hi Pro Stripping	Emerald Hy-Pro
	3M™ Black Stripper Pad 7200	Black Stripping 7200N	Black-Strip	Black Strip	Black Super Strip	Black Strip
	3M™ Brown Stripper Pad 7100	N/A	Brown-Strip Boss Hawg®	Brown Strip	N/A	Brown Strip
Scrubbing	Scotch-Brite™ Surface Preparation Pad	N/A	N/A	Maroon HD Maroon Eco Prep	Enviro Stripping Pad	Maroon Thin Line
	3M™ Blue Cleaner Pad 5300	Green Scrub 5400N Blue Cleaning 5300N	Green-Scrub Blue-Cleaner	Green Scrub Blue Cleaner	Green Super Scrub Blue Super Clean	Green Scrubber Blue Cleaner
Cleaning	3M™ TopLine Autoscrubber Pad 5000	N/A	N/A	Flamingo Auto Scrub™	N/A	N/A
	3M™ Red Buffer Pad 5100	Red Buffing 5100N	Gorilla® Red-Spray Buff	Red Buff	Red Buffer	Red Buffing
	3M™ White Super Polish Pad 4100	White Polishing 4100N	Gorilla® White-Polish	White Polish	White Super Gloss	White Polishing
Buffing	3M™ Red Buffer Pad 5100	Red Buffing 5100N	Gorilla® Red-Spray Buff Gorilla® Tan-Buff	Red Buff Tan Buff	Red Buffer Champagne Polish & Burnish	Red Buffing
	3M™ White Super Polish Pad 4100	White Polishing 4100N	Gorilla® Soft White-Polish	White Polish	White Super Gloss	White Polishing
Burnishing	3M™ Eraser Burnish Pad 3600	N/A	N/A	N/A	N/A	N/A
<div style="display: flex; align-items: center; justify-content: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-weight: bold; margin-right: 5px;">Most Aggressive</div> <div style="border: 1px solid black; width: 100%; height: 100%;"></div> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-weight: bold; margin-left: 5px;">Least Aggressive</div> </div>	3M™ Natural Blend Tan Pad 3500	Natural Tan Hog's Hair 3500 Super Hog's Hair 3700N Natural Tan Hog's 3500N	Gorilla® 2001 Gorilla® Jaguar® 2001 Jaguar®	Porko Porko Plus	Ultra Grizzly Bear	Hair Blend Extra Heavy
	3M™ Tan Burnish Pad 3400	Tan Burnishing 3400N	N/A	Image Beige Burnishing	Pink "TOPSHINE"	N/A
	3M™ Natural Blend White Pad 3300	Natural White Burnishing 3300N	Gorilla Lite® 2001 Gorilla Lite® Blue Jay® Superspeed Rubberized®	Porko Elite Combo	Grizzly Bear Lite	Hair Blend Lite
	3M™ TopLine Speed Burnish Pad 3200	N/A	2001 Superspeed Rubberized®	Aqua Burnishing	Thermal Burnish	Poly Thermal Pink Burnishing
	3M™ Aqua Burnish Pad 3100	Aqua Burnishing 3100N	Aqua Plus® 2001 Aqua Plus®	Aqua Burnishing	Aqua Ultra	Aqua Burnishing
	3M™ Sky Blue Hi-Performance Burnish Pad 3050	N/A	2001® Soft White Blue Ace®	Luster Lite	N/A	Blue Velvet
	Stone Floor Maintenance	Scotch-Brite™ Sienna Diamond Floor Pad Plus	N/A	Diamond by Gorilla® 800 White Diamond by Gorilla® 1500 Yellow	Twister™ White Twister™ Yellow	Coarse Grit Medium Grit
Scotch-Brite™ Purple Diamond Floor Pad Plus		N/A	Diamond by Gorilla® 3000 Green	Twister™ Green	Fine Grit Very Fine Grit	Cyclone D 3000



Commercial Solutions
3M Center, Building 220-12E-04
St. Paul, MN 55144-1000 USA

Phone 1-800-852-9722
Web 3M.com/facility

© 3M 2017. All rights reserved.
3M and Scotch-Brite are trademarks of 3M.
Used under license in Canada. All other trademarks are property of their respective owners.
Printed in USA. Please recycle. JULY 2017
78-8134-0420-5

Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.