

# Product End of Life Instructions

## APC Symmetra LX UPS

**APC Symmetra LX Uninterrupted Power Supplies provides emergency back-up power to prevent downtime and data loss.**






## Potential disassembly risks

No specific disassembly risks have been identified for this product.



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (g)	Comment
To be depolluted	1	Batteries (Lead-acid)	103056	4 x Battery modules of 10 Lead-acid batteries each.
To be depolluted	2	Battery (Lithium ion)	6	2 x Li-ion batteries
To be depolluted	3	Electrolytic Capacitor	2315	4 x Power Modules containing 3 electrolytic capacitors each.
To be depolluted	4	Printed Circuit Board Assemblies (PCBAs)	42638	35 x PCBAs



## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	APC
Product function	Single-phase, double-conversion UPS ensuring your crucial servers, equipment racks, and network devices stay powered and active during outages and brownouts.
Product reference	SYA16K16RMP
Additional similar product references	SYA4K8RMI SYA4K8RMJ SYA4K8RMP SYA8K16RMI SYA8K16RMICH SYA8K16RMJ SYA8K16RMP SYA8K8I SYA8K8RMI SYA8K8RMJ SYA8K8RMP SYA8K8RMPNX424 SYA8K8RMPX445 SYA12K16I SYA12K16I5XR9 SYA12K16ICH SYA12K16IXR SYA12K16IXRCH SYA12K16JXR SYA12K16PXR SYA12K16RMI SYA12K16RMICH SYA12K16RMJ SYA12K16RMP SYA16K16I SYA16K16I7XR9 SYA16K16ICH SYA16K16IXR SYA16K16IXRCH SYA16K16JXR SYA16K16PXR SYA16K16RMI
Total representative product mass	286820 g
Representative product dimensions	836mm x 472mm x 688mm
Accessories	None
Date of information release	12/2017



## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	None
Recyclability potential	<b>66%</b> Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier  
 CS 30323  
 F- 92506 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 896 313 776 €

[www.schneider-electric.com](http://www.schneider-electric.com)

Published by Schneider Electric

ENVEOLI1712017\_V1

© 2017 - Schneider Electric – All rights reserved

12/2017