BRADY®

# Your experts for safety, facility and equipment identification

Product Catalog

# Cable Lockouts

Cable lockouts provide a number of advantages. Because of their construction, cable lockouts can be used in a variety of applications locking out multiple disconnects and valves. They are also a great option for lockout of unusual energy isolating devices that cannot be effectively locked out by a traditional device. This versatility, combined with ultimate portability, makes cable lockout devices a great addition to any lockout tagout program.



## Compact Cable Padlocks

- Compact 1.31 in. x 1.25 in. nylon body with either 7.87 in. or 15.75 in. elongated, flexible cable as the shackle
- Allows you to secure breaker and still close the panel door
- Flexible cable means you can angle and twist padlock or lockout multiple energy isolation points with one lock

| Color | Cable Length | 1 Pack Keyed Different | 6 Pack Keyed Alike |
|---|---|---|---|
| Red | 7.87 in. cable | 146120 | 146128 |
| Red | 15.75 in. cable | 146124 | 146132 |
| Yellow | 7.87 in. cable | 146121 | 146129 |
| Yellow | 15.75 in. cable | 146125 | 146133 |
| Blue | 7.87 in. cable | 146122 | 146130 |
| Blue | 15.75 in. cable | 146126 | 146134 |
| Green | 7.87 in. cable | 146123 | 146131 |
| Green | 15.75 in. cable | 146127 | 146135 |

## SAFELEX™ Universal Cable Lockout

- Integrated hasp and cable provides simple way to lockout multiple energy isolation points
- Ability to tighten the cable after the body is locked
- Available with steel or non-conductive nylon cable

| Catalog # | Description | Qty |
|---|---|---|
| 145554 | Lockout w/ 3 ft. steel cable | 1 |
| 145553 | Lockout w/ 6 ft. steel cable | 1 |
| 145552 | Lockout w/ 10 ft. steel cable | 1 |
| 145551 | Lockout w/ 15 ft. steel cable | 1 |
| 145550 | Lockout w/ 6 ft. non-conductive nylon cable | 1 |
| 145549 | Lockout w/ 10 ft. non-conductive nylon cable | 1 |

*Padlocks sold separately.*



## Cable Lockout

- Device constructed of impact modified nylon
- Includes 6 ft. galvanized steel cable (0.125 in. outside dia.)

| Catalog # | Description | Color | Qty |
|---|---|---|---|
| 65318 | Cable Lockout Device w/ 6 ft. cable | Red | 1 |
| 45191 | Cable Lockout Device w/ 6 ft. cable | Blue | 1 |
| 45192 | Cable Lockout Device w/ 6 ft. cable | Yellow | 1 |
| 65319 | 8 ft. steel cable only | - | 1 |
| 65320 | 10 ft. steel cable only | - | 1 |

**Other cable lengths available upon request. Padlocks sold separately.*

## Mini Cable Lockout

- Compact and portable with internally stored cable
- Push-button self-winding mechanism automatically cinches cable tight
- Superior chemical, corrosion and temperature resistance
- 6 lock holes fit most padlock shackles and hasps
- Body dimensions: 4 in. dia. x 1.75 in. deep
  Cable dimensions: 0.06 in. outside dia. x 8 ft. length

| Catalog # | Description | Qty |
|---|---|---|
| 50940 | Mini Cable Lockout w/ 8 ft. steel cable | 1 |
| 51442 | Mini Cable Lockout w/ 8 ft. nylon cable | 1 |

*Padlocks sold separately.*

## ProLock Cable Lockout

- Economical, highly visible cable lockout device
- Features flexible 0.125 in. diameter cables
- Double Hex ProLock offers versatile security as it can be operated by a standard wrench or ProLock Operating Tool
- Extra Secure ProLock device provides enhanced security as it requires the use of the ProLock Operating Tool

| Description | Red | Yellow | Green |
|---|---|---|---|
| Extra Secure ProLock System* w/ 59 in. Cable and ProLock Operating Tool | 122250 | - | 122252 |
| Extra Secure ProLock w/ 59 in. Cable* | 122241 | 122242 | 122243 |
| Extra Secure ProLock w/o Cable* | 122244 | 122245 | 122246 |
| Double Hex ProLock w/ 59 in. Cable | 122253 | 122254 | 122255 |
| Double Hex ProLock w/o Cable | 122247 | 122248 | 122249 |
| 4.92 ft Cable Spool | 122260 | 122261 | 122262 |
| 164 ft Cable Spool | 122263 | 122264 | 122265 |
| ProLock Operating Tool | 122256 | - | 122258 |

** Extra Secure ProLock requires the use of the ProLock Operating Tool. Padlocks sold separately.*



## All-Purpose Cable Lockout

- Superior chemical, corrosion and temperature resistance
- Available with interchangeable cables
- Service temps of cables:
  Non-conductive nylon: -40° to 200° F
  Sheathed metal: -30° to 180° F

| Catalog # | Description |
|---|---|
| 50943 | Lockout w/ 8 ft. sheathed metal cable |
| 50941 | Lockout w/ 8 ft. non-conductive nylon cable |
| 50944 | Lockout without cable |
| | |
| 50947 | 8 ft. Sheathed metal cable only |
| 50950 | 12 ft. Sheathed metal cable only |
| 50953 | 16 ft. Sheathed metal cable only |
| 50956 | 20 ft. Sheathed metal cable only |
| | |
| 50945 | 8 ft. Non-conductive nylon cable only |
| 50948 | 12 ft. Non-conductive nylon cable only |
| 50951 | 16 ft. Non-conductive nylon cable only |
| 50954 | 20 ft. Non-conductive nylon cable only |

## Double-Looped Cables

- Light weight and easier to spot; perfect for situations requiring a flexible lockout device and a visual deterrent
- 0.187 in. diameter cables

| Catalog # | Length | Color |
|---|---|---|
| 131063 | 2 ft. Double Looped Cable | Red |
| 131064 | 4 ft. Double Looped Cable | Red |
| 131065 | 6 ft. Double Looped Cable | Red |
| 131066 | 8 ft. Double Looped Cable | Red |



## Economy Cable Lockout

- Device accepts up to six padlocks with 0.28 in. dia.
- Includes 6 ft. or 10 ft. plastic-coated steel cable
- Cable diameter: 0.187 in.

| Catalog # | Description | Qty. |
|---|---|---|
| CABLO | Cable Lockout w/ 6 ft. cable | 1 |
| CABLO-10 | Cable Lockout w/ 10 ft. cable | 1 |
| CABLE | 6 ft. cable only | 1 |
| CABLE-10FT | 10 ft. cable only | 1 |