

# Eaton E34EX714R

Catalog Number: E34EX714R

Eaton 30.5 mm Watertight/Oiltight Hazardous Locations Push-Pull Unit,Class I Division 2,Standard Actuator,Red,Plastic bus,1NO-1NC,Non-illuminated,Two-position,Maintained Push and Pull,40 mm button,E34 Series

## General specifications

Product Name

Eaton E34 pushbutton

UPC

782114531372

Product Diameter

2.63 in

Warranty

1 year

Certifications

UL 1604

UL 508

CSA Certified

Catalog Number

E34EX714R

Product Height

1.78 in

Product Weight

0.5 lb

Compliances

FDA 3-A

CE Marked

Catalog Notes

Use NEMA 4X 10250T operators where exposed to ultraviolet light



## Product specifications

### Contact configuration

1 NO-1 NC

### Series

E34

### Number of positions

2

### Type

Class I Division 2

### Actuator color

Red

### Operating mode

Pull: maintained

Push: maintained

### Bus material

Plastic

### Rating

NEMA 3R

NEMA 12

NEMA 4X

NEC Class I Division 2, Groups B, C and D

NEMA 3

NEMA 4

NEMA 13

### Illumination

Non-illuminated

### Size

40 mm

### Actuator

Standard

## Resources

### Brochures

10250T and E34 Class I Division 2

### Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

### Multimedia

How to size and select a Power Supply

### Specifications and datasheets

Cam selection for pushbutton selectors

Eaton Specification Sheet - E34EX714R



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)