

Specifications

Photo is representative

Eaton DM1-32017NB-S20S

Eaton PowerXL DM1 series micro drive, Three-phase, 230 V, 17 A, Internal brake chopper, Multi segment LCD display, IP20, ST0 SIL2 and ethernet I/P, Modbus TCP onboard

General specifications

PRODUCT NAME	Eaton PowerXL DM1 micro variable frequency drive
CATALOG NUMBER	DM1-32017NB-S20S
UPC	786689351168
PRODUCT LENGTH/DEPTH	13.8 in
PRODUCT HEIGHT	9.7 in
PRODUCT WIDTH	6.9 in
PRODUCT WEIGHT	6.55 lb
CERTIFICATIONS	UL Listed



Powering Business Worldwide

Product specifications

BRAKE CHOPPER	Internal brake chopper
SERIES	DM1
DRIVE TYPE	General purpose
FRAME SIZE	FR2
ENCLOSURE RATING	IP00
INPUT PHASES	Three-phase
OUTPUT PHASES	Three-phase
ELECTROMAGNETIC COMPATIBILITY FILTER	No
INTERNAL CHOKE	No
INTERNAL LINE REACTOR	No

AMBIENT OPERATING TEMPERATURE RANGE	<ul style="list-style-type: none">• -10 to 50 °C CT• -10 to 40 °C VT
--	---

CONFORMAL COATED BOARDS	Yes
--------------------------------	-----

USER INTERFACE	Multi-segment
-----------------------	---------------

INPUT VOLTAGE RANGE	200-240 Vac
----------------------------	-------------

INPUT FREQUENCY RANGE	50-60 Hz
------------------------------	----------

OUTPUT FREQUENCY RANGE	0-400 Hz
-------------------------------	----------

MAX OVERLOAD	200 %
---------------------	-------

FUSE SIZE - MAX	60
------------------------	----

MOUNTING TYPE	DIN rail Panel mount
----------------------	-------------------------

DIGITAL INPUTS	4
-----------------------	---

ANALOG INPUTS	1
----------------------	---

RELAY OUTPUTS	2
----------------------	---

DIGITAL OUTPUTS	0
------------------------	---

HIGH OVERLOAD (CT) HP	5
------------------------------	---

HIGH OVERLOAD (CT) KW	4
------------------------------	---

LOW OVERLOAD (VT) KW	5.5
-----------------------------	-----

LOW OVERLOAD (VT) AMPS	25
-------------------------------	----

HIGH OVERLOAD (CT) AMPS	17
--------------------------------	----

LOW OVERLOAD (VT) HP	7.5
-----------------------------	-----

COMMUNICATIONS ONBOARD	Modbus RTU Modbus TCP Ethernet/IP BACnet IP BACnet MS/TP
-------------------------------	--

Resources

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - DM1-32017NB-S20S](#)

	Bluetooth
COMMUNICATIONS OPTIONAL	CANopen PROFIBUS SmartWireDT
MOTOR CONTROL MODES	V/Hz Open loop vector control
MOTOR TYPE	Induction Induction motor Permanent magnet motor (SPM/IPM)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

