Eaton FWH-200B

Catalog Number: FWH-200B

Eaton Bussmann series FWH high speed fuse, 500 Vac/dc (UL), 200A, 200 kAIC at 300 Vdc, 50 kAIC at 300 Vdc, None, High speed fuse, Blade end X blade end, Class aR, Stud, White, Ceramic

General specifications

Product Name

Eaton Bussmann series high speed

cylindrical fuse

Catalog Number

FWH-200B

UPC

051712795869

Product Length/Depth

EAN

5027590020916

91 mm

Product Height

Product Width

30 mm

152 g

30 mm

Warranty

Product Weight

Not Applicable

Compliances Certifications

CE Marked

RoHS Compliant

UL Recognized

CSA Certified



Product specifications

Rated voltage DC 500 V Interrupt rating 200 kAIC at 300 Vdc 50 kAIC at 300 Vdc Center-to-center distance of connections 74.09 mm Insulated metal gripping lugs (IMGL) No Current type AC/DC Mounting method Stud **Amperage Rating** 200 A Fuse type FWH-B Fuse system (according to IEC 60269) Other Rated switching capacity 200 kA Voltage rating 500 Vac, 500 Vdc Fuse indicator Non Indicating Construction size Other Clearing (I2T) 8500 Rated voltage AC 500 V

Color White

Connection

Blade end x blade end

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Specifications and datasheets

Eaton Specification Sheet - FWH-200B

Q	ua	nt	ity

1

Material

Ceramic

Mounting dimension

M8

Utilization category

aR (accompanied semiconductor protection)

Watt losses

40 W

Туре

High speed fuse

Fuse shape

Center bolted tags

Breaking capacity

200 kA

Class

Class aR

Pre arc (I2T)

1900

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC/DC



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia