



Catalog No. THQC1120GF

Description: THQC 1POLE 120V 10K IC 20AMP GFCI

UPC No 783164135787

$\label{eq:continuity} \mbox{Products} > \mbox{Circuit Breakers} > \mbox{Mini} \mbox{ Circuit Breakers} > \mbox{Q-Line} \\ \mbox{Miniature Circuit Breakers} > \mbox{Miniatur$

Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QC breakers are lug-lug versions of the Q Line and are available for 35mm DIN rail mounting. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions and can be ordered with auxiliary contact and shunt trip accessories.

Descriptors			
Category	Q-Line Miniature Circuit Breakers		
GO Schedule	B1		
Specifications			
Trip Style	Non-Interchangeable		
Frame Type	Q-Line		
Amperage	20 A		

Frame Type	Q-Line
Amperage	20 A
System Voltage	120 Vac, 120/240 Vac
Poles	1
Trip Function	LIG
Continuous Current Rated	Standard
120 Vac Interrupting Rating	10 KAIC
120/240 Vac Interrupting Rating	10 KAIC
Suitable for Reverse Feed	Yes
Product Line	Q-Line (Lug-Lug)
Long Time	Fixed
Instantaneous	Fixed
Ground Fault	Yes
Protective Relays	No
Current Metering	No
Special Markings	HACR

Classifications			
UL File #	E51075		
CSA File#	LR10263		

No

geindustrial.com Created on: 06/22/2017

GSA Compliance

Publications				
Title	Publication No.	Publication Type		
Q-Line Lug-Lug MCCB, 100A Frame 1- Pole with Ground Fault Protection, Drawing		Drawings-Outline and Dimensional		
1-Page fully dimensioned outline drawing in .pdf format	139C4005-SH2			

Additional Documentation: Visit our <u>Publication Library</u> to find technical documentation, time current curves, CSI Specifications and promotional literature.

geindustrial.com Created on: 06/22/2017