

# Rittal – The System.

Faster – better – everywhere.

## **Wallmounted enclosure – WM 8017.583**

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Wallmounted enclosure – WM 8017.583 - WM364812NC

created: 29.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Door: Carbon steel, all-round foamed-in PU seal Housing: Carbon steel
<b>Surface finish:</b>	Dipcoat-primed and powder-coated, textured paint Mounting plate: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12 NEMA 12
<b>Supply includes:</b>	Housing with door(s) Mounting plate Rear wall mounting holes

## Product features

<b>Dimensions:</b>	Height: 900 mm (35 ") Width: 1200 mm (47 ") Depth: 300 mm (12 ")
<b>Material thickness::</b>	Housing: 2 mm (0.08 ") Door: 2 mm (0.08 ") Mounting plate: 2.5 mm (0.1 ")
<b>Mounting plate:</b>	Height: 850 mm (33 ") Width: 1150 mm (45 ")

<b>Number of doors:</b>	2
<b>3-point locking system:</b>	yes
<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	85 kg (187.4 lb.)
<b>EAN:</b>	83160

## Approvals

<b>Approvals:</b>	UL
-------------------	----