

# Rittal – The System.

Faster – better – everywhere.

## Self-tapping screws – SZ 2489.000

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Self-tapping screws – SZ 2489.000

created: 25.05.2018 build on www.rittal.com/us-en



## Product description

**Description:** For the round holes 4.5 mm diameter in the enclosure section, punched rails and punched sections without mounting flanges.

**Applications:** For Ø 4.5 mm round holes in the enclosure profile, punched rails and punched section without mounting flange

## Product features

**Thread:** Type: M5

**Thread length:** 12 mm (0.47 ")

**Packaging unit:** 500 pc(s).

**Weight/packaging unit:** 1.5 kg (3.3 lb.)

**EAN:** 4028177025080

**Customs tariff number:** 73181900

**ETIM 6.0:** EC000891

**ETIM 5.0:** EC000891

**eCl@ss 8.0/8.1:** 23110117

**eCl@ss 7.0/7.1:** 27189234

---

<b>eCl@ss 6.0/6.1:</b>	27189234
<b>eCl@ss 5.1/5.1.4:</b>	27189234
<b>Product description (long):</b>	SZ Pan-head screws, posidrive, for thread M5, self-tapping

---