

Rittal – The System.

Faster – better – everywhere.

Safety handle with code – DK 7200.800

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Safety handle with code – DK 7200.800

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description: Flexible access option with individual 3-digit number code, no key required, or via master key function with additional use of 40 or 45 mm semi-cylinder in line with DIN 18 252, independent of number code.

Color: RAL 7035

Mounting tip: The handle adapter is required when fitting to TS glazed door, PC lower door, IW designer door

Product features

Suitable for: Enclosure type: TS
Enclosure type: TS IT
Enclosure type: SE
Enclosure type: PC enclosure door (can only be used with rear door)
Enclosure type: IW

Packaging unit: 1 pc(s).

Weight/packaging unit: 0.92 kg (2 lb.)

EAN: 4028177260009

Customs tariff number: 83024110

ETIM 6.0: EC000327

ETIM 5.0: EC000327

eCl@ss 8.0/8.1:	27409217
eCl@ss 7.0/7.1:	27189266
eCl@ss 6.0/6.1:	27189266
eCl@ss 5.1/5.1.4:	27189220
Product description (long):	DK TS8Comfort handle, with code, For TS, TS IT, SE, RAL 7035