Rittal - The System.

Faster – better – everywhere.

Interconnecting rodsTS 4920.000

Date: May 29, 2018



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Interconnecting rods – TS 4920.000

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:To extend locking from the main enclosure to the adjacent enclosures of a baying suite. An interconnecting rod corresponding to the width of the enclosure is required for each adjacent

enclosure.

Prod	uct	features
FIUU	ucı	leatures

Suitable for: Width: 1200 mm (47 ")

Installation options: To extend locking from the main enclosure to the adjacent enclosures of a bayed suite. An

interconnecting rod corresponding to the width of the enclosure is required for each adjacent

enclosure.

Packaging unit: 10 pc(s).

Weight/packaging

unit:

5.99 kg (13.2 lb.)

EAN: 4028177114029

Customs tariff number:

73269098

ETIM 6.0: EC000327

ETIM 5.0: EC000327

eCl@ss 8.0/8.1: 27409217

eCl@ss 7.0/7.1: 27189290

© Rittal 2018

e Cl@ss 6.0/6.1:	27189290
e CI@ss 5.1/5.1.4:	27189255
Product description (long):	TS Interconnecting rod, for door-locking of bayed enlcosure combinations, for W: 1200 mm

© Rittal 2018