

Rittal – The System.

Faster – better – everywhere.

► Support section CP 180 open – CP 6218.110

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Support section CP 180 open – CP 6218.110

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description: Attached to the connection components with 4 self-tapping screws in the screw channel. May be cut to any required length, no thread-tapping required. Open cable duct for easy servicing access and for pre-assembled cables with connectors; lockable via cover profile. X-shaped profiling for greater load capacity, large cable routing channels. Upper channel suitable for cables with large connectors (e.g. DVI or VGA) and available/usable throughout the entire system.

Material: Support section: Extruded aluminum section
Cover: Plastic

Color: Support section: RAL 7035
Cover: RAL 7024

Supply includes: Support section
Clip-in lid

Product features

Dimensions: Height: 160 mm (6.3 ")
Width: 90 mm (3.5 ")

Length: 1000 mm (39 ")

Packaging unit: 1 pc(s).

Weight/packaging unit: 11.6 kg (25.6 lb.)

EAN: 4028177683846

| | |
|------------------------------------|---|
| Customs tariff number: | 76042100 |
| ETIM 6.0: | EC000882 |
| ETIM 5.0: | EC000882 |
| eCl@ss 8.0/8.1: | 27400556 |
| eCl@ss 7.0/7.1: | 27189261 |
| eCl@ss 6.0/6.1: | 27189261 |
| eCl@ss 5.1/5.1.4: | 27189248 |
| Product description (long): | CP Support section CP 180, open, L: 1000 mm |
| Approvals | |
| Declarations: | Manufacturer's declaration |