

# Rittal – The System.

Faster – better – everywhere.

## ► Support Strips for TS, SE, CM, TP – TS 8800.130

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Support Strips for TS, SE, CM, TP – TS 8800.130

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Version:</b>	On the vertical and horizontal TS enclosure section at the inner mounting level, all round, height offset
<b>Description:</b>	For simple cable routing from the mounting plate to the door.
<b>Applications:</b>	On the inner and outer mounting levels on the enclosure section
<b>Material:</b>	Carbon steel
<b>Surface finish:</b>	Zinc-plated
<b>Supply includes:</b>	Assembly components

## Product features

<b>Suitable for:</b>	Enclosure type: TS Enclosure type: SE Width/depth: 600 mm
<b>Dimensions:</b>	Length: 590 mm (23 ")
<b>Packaging unit:</b>	20 pc(s).
<b>Weight/packaging unit:</b>	6.16 kg (13.6 lb.)
<b>EAN:</b>	4028177212503

<b>Customs tariff number:</b>	73269098
<b>ETIM 6.0:</b>	EC002620
<b>ETIM 5.0:</b>	EC002620
<b>eCl@ss 8.0/8.1:</b>	27189261
<b>eCl@ss 7.0/7.1:</b>	27189261
<b>eCl@ss 6.0/6.1:</b>	27189261
<b>eCl@ss 5.1/5.1.4:</b>	27189233
<b>Product description (long):</b>	TS Support strip, for TS, SE, CM, TP, for the inner mounting level: for W/D: 600 mm, L: 590 mm
<b>Approvals</b>	
<b>Certificates:</b>	EAC