

# Rittal – The System.

Faster – better – everywhere.

## ▶ TS System Chassis 17 x 73 mm – TS 8612.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS System Chassis 17 x 73 mm – TS 8612.000

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Version:</b>	For the inner mounting level
<b>Description:</b>	Variable, with 5 rows of holes for universal skeleton structures or partial assembly. Simply position in the TS holes and secure.
<b>Material:</b>	Carbon steel
<b>Surface finish:</b>	Zinc-plated
<b>Mounting tip:</b>	The rail for interior installation is required when installing in CM, TP
<b>Supply includes:</b>	Assembly screws

## Product features

<b>Suitable for:</b>	Width/depth: 1000 mm
<b>Dimensions:</b>	Length: 990 mm (39 ")
<b>Installation options:</b>	On the vertical TS enclosure profile: on the outer mounting level, all-round, height-offset For SE, may additionally be mounted on the top horizontal section in the depth In CM and TP via rails for interior installation: in width, for inner mounting level Simply locate installation kit into component shelves and secure. One pack is sufficient for 2 component shelves. 100 kg surface load, static
<b>Packaging unit:</b>	4 pc(s).
<b>Weight/packaging</b>	4.43 kg (9.8 lb.)

<b>unit:</b>	
<b>EAN:</b>	4028177212053
<b>Customs tariff number:</b>	73269098
<b>ETIM 6.0:</b>	EC002625
<b>ETIM 5.0:</b>	EC002625
<b>eCl@ss 8.0/8.1:</b>	27189234
<b>eCl@ss 7.0/7.1:</b>	23159101
<b>eCl@ss 6.0/6.1:</b>	23159101
<b>eCl@ss 5.1/5.1.4:</b>	27189250
<b>Product description (long):</b>	TS TS punched section with mounting flange, 17 x 73 mm, for inner mounting level: for W/D: 1000 mm, L: 990 mm
<b>Approvals</b>	
<b>Certificates:</b>	EAC