

# Eaton PDG12C0030TFFJ

Catalog Number: PDG12C0030TFFJ

Eaton Power Defense molded case circuit breaker, Globally Rated, Frame 1, Two Pole, 30A, 18kA/480V, T-M (Fxd-Fxd) TU, Standard Line and Load (PDG1X2T125)

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Power Defense molded case circuit breaker	PDG12C0030TFFJ
	UPC
	786679245491
<b>Product Length/Depth</b>	<b>Product Height</b>
76 mm	139.7 mm
<b>Product Width</b>	<b>Product Weight</b>
50.8 mm	0.907 kg
<b>Warranty</b>	<b>Compliances</b>
Eaton Selling Policy 25-000, one (1) year RoHS Compliant from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	<b>Certifications</b>
	IEC 60947-2
	CSA
	UL 489
	CCC Marked



## Delivery program

### Amperage Rating

30 A

### Circuit breaker frame type

Complete breaker

### Frame

1

### Number of poles

Two-pole

## General information

### Circuit breaker type

PD1 Global

### Class

Class A

### Trip Type

T-M (Fxd-Fxd) TU

## Technical data - Electrical

### Voltage rating

600 Vac

### Voltage rating - max

600 V

## Technical data - Mechanical - Terminals

### Terminals

Standard Line and Load

## Technical information

### Interrupt rating

18 kAIC at 480 Vac

### Interrupt rating range

10 kAIC @600V (UL/CSA)

18 kAIC @480V (UL)

25 kAIC @240V (UL)

25 kAIC Icu/ 25 kAIC Ics/ 52.5 kAIC Icm @240V (IEC)

10 kAIC Icu @250 Vdc

10 kAIC Icu @125 Vdc

20 kAIC Icu/ 20 kAIC Ics/ 42 kAIC Icm @380-415V (IEC)

## Resources

### 3D CAD drawing package

[Eaton Power Defense MCCB PDG12C0030TFFJ 3D drawing](#)

### Application notes

[Consulting application guide - molded case circuit breakers](#)

### Brochures

[Power Defense technical selling booklet](#)

[Power Defense molded case circuit breaker selection poster](#)

[Power Defense brochure](#)

[Power Defense molded case circuit breakers - Frame 1 product aid](#)

## Catalogs

Molded case circuit breakers catalog

## Certification reports

PDG1 CCC certification

PDG1 UL authorization

Power Defense Declaration concerning California's Proposition 65

EU Declaration of Conformity - Power Defense molded case circuit breakers

PDG1 CSA certification

## Installation instructions

Power Defense Frame 1-2-3-4 IP door barrier assembly instructions - IL012278EN

Power Defense Frame 1 UL global box terminal (steel) 125A 2P - IL012165EN H02

Power Defense Frame 1 UL global interphase barrier instructions - IL012313EN

Power Defense Frame 1 UL global handle block padlockable - IL012178EN

Power Defense Frame 1 UL global Padlockable Handle Lock Hasp - IL012225EN

Power Defense Frame 1 Instructions - IL012152EN

Power Defense Frame 1 UL global tunnel terminal (aluminum) 125A 2P - IL012166EN H02

Power Defense padlockable handle lock hasp top off only installation instructions - IL012226EN

Power Defense Frame 1 UL global screw terminal end cap kit metric 125A 2P - IL012170EN

Power Defense Frame 1 UL global lock padlockable handle hasp IL012180EN

Power Defense Frame 1 UL global DIN rail adapter 2, 3, 4-pole - IL012185EN

Power Defense Frame 1 UL global handle block non padlockable - IL012177EN

Power Defense Frame 1 UL global screw terminal end cap kit 125A 2P - IL012162EN

Power Defense Frame 1 UL global handle block padlockable off only - IL012179EN

Power Defense Frame 1 UL global interphase barrier - IL012176EN

Power Defense Frame 1 UL Global variable depth rotary handle mech installation instructions - IL012308EN

## Installation videos

[Power Defense Frame 1 UL Global Aux, Alarm, ST and UVR Animated Instructions.rh](#)

### Multimedia

[Power Defense Frame 3 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense Frame 5 Trip Unit How-To Video](#)

[Power Defense Breakers](#)

[Eaton Power Defense for superior arc flash safety](#)

[Power Defense Frame 2 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense molded case circuit breakers](#)

[Power Defense Frame 6 Trip Unit How-To Video](#)

### Specifications and datasheets

[Eaton Specification Sheet - PDG12C0030TFFJ](#)

### Time/current curves

[Power Defense time current curve Frame 1 - PDG1](#)

### White papers

[Single and double break MCCB performance revisited](#)

[Molded case and low-voltage breaker health](#)

[Safer by design: arc energy reduction techniques](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)