

Hide-a-Lite V

Undercabinet Mounted • Damp Location Listed **PROGRESS LED**

Description:

Hide-a-Lite V 12" LED Undercabinet

Specifications:

- White Polycarbonate Diffuser
- Dimmable to 10% brightness (See Dimming Notes)
- 11.5 in W., 3.3 in ht., 1 in depth
- 6 in of wire supplied

Performance:

Number of Modules	1
Input Power	7.8 W
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Delivered)	507/65 (LM-79)
CCT	3000 K
CRI	90 CRI
Life (hours)	50000 (L70/TM-21)
EMI/RFI	FCC Title 47, Part 15, Class B
Max. Operating Temp	30°C
Warranty	5-year Limited Warranty
Labels	cETLus Damp Location Listed
	Meets California Title 24 JA8-2016

P700001-020-30



Dimensions:

Width: 11.5 in
Depth: 3-3/16 in
Height: 1-1/8 in




Photometrics:

P700001-020-30

ELECTRICAL DATA	P700001-020-30
Input Voltage	120 V
Input Frequency	60 Hz
Input Current	0.065 A
Power Factor	Greater than 0.90
THD	<20%
EMI/RFI	FCC Title 47, Part 15, Class B
Operating Temperature	-30 °C
Dimming	Yes*
Over-voltage, over-current, short-circuit protected	
*See Dimming Notes for more information	

P700001-020-30
 LED Light Engine: 3000 K 90 CRI
 System Wattage: 7.8
 Fixture delivered lumens: 507
 Fixture Efficacy: 65
 Spacing Criteria: 0.94



Test 17.02422 Test Date 9/5/17

CANDELA DISTRIBUTION

CANDELA	DISTRIBUTION			FLUX		
	0.0	45.0	90.0	135.0	180.0	
0	145	145	145	145	145	
5	152	149	146	139	137	14
15	161	154	141	125	119	39
25	165	153	130	106	98	60
35	164	147	116	85	75	73
45	158	137	97	62	51	77
55	146	122	76	38	30	72
65	130	104	52	18	14	61
75	110	83	27	6	5	45
85	87	60	5	1	1	31
90	75	48	0	0	1	
95	63	37	0	0	0	19
105	40	18	0	0	0	10
115	21	6	0	0	0	4
125	8	2	0	0	0	1
135	2	1	0	0	0	0
145	1	0	0	0	0	0
155	0	0	0	0	0	0
165	0	0	0	0	0	0
175	0	0	0	0	0	0
180	0	0	0	0	0	

ZONAL LUMEN SUMMARY

ZONE	LUMENS	%FIXT
0-30	113	22.3
0-40	186	36.7
0-60	335	66.2
0-90	472	93.1
90-120	33	6.5
90-130	34	6.7
90-150	35	6.8
90-180	35	6.9
0-180	507	100.0

P700001-020-30

Dimming Notes:

P700001-020-30 is designed to be compatible with many Triac/Forward Phase ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls:

Lutron_Nova T NTELV-300

Lutron_DELV-300P

Lutron_Diva DVCL-253P

Lutron_Caseta

Leviton_Trimatron 6681

Leviton_SureSlide 6674

Lutron_Ariadni AYCL-153P

Lutron_Toggler TGCL-153PH

Lutron_Ariadni AYL-600P

Lutron_NTLV-600

Lutron_Maestro MAELV-600

Lutron_Nova N-600

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.