

### Mark 9 Fittings

## 1/2 INCH MARK 9 TB ALUMINUM CONDUIT BODY



**Catalog Number** PRTB19  
**UPC** 784011216819

### Description

PVC coated Mark 9 conduit bodies with covers are offered in numerous configurations to provide a complete coated conduit system. Electrical continuity of the conduit system is maintained across assembled joints.

### Additional Product Description

Conduit bodies connect sections of conduit and provide for access to conductors for maintenance and future system changes. They may be used for pull outlets for conductors being installed or to provide openings for making taps or splices in conductors or to make 90 degree bends.

### Application


- Offered in numerous configurations for 90 degree bends, taps or splices or mounting outlets

### Features

- 40 mil gray PVC exterior coating
- 2 mil red urethane interior coating
- 10 trade sizes from 1/2" through 4"
- Sealing sleeves on all conduit openings
- Cover uses retained stainless screw and wedge clip design

### General Information

Trade Size	1/2
Material	ALUMINUM
Material	ALUMINUM
Exterior Finish	A nominal .040 inch (40 mil) gray PVC coating
Interior Finish	A nominal .002 inch (2 mil) red urethane
Body Style	TB



Screw Type Self-retaining stainless steel cover screws

### Dimensions

Dimension A (Inches)	5
Dimension B (Inches)	2.13
Dimension C (Inches)	1.46
Dimension D (Inches)	1.19
Dimension E (Inches)	3.31
Nominal Weight (Pounds)	2

### Standards

CSA Certified	C22.2 No.18
CSA Certified	C22.2 No. 42
IEC IP69	E489286
UL 514A, 514D	E231035
UL Type 4X	E231035

### Technical Specification Documents

Specification Guide (1995 Master)	AVAILABLE ON WEBSITE
Specification Guide (2004 Master)	AVAILABLE ON WEBSITE
Installer Certification and Tools	AVAILABLE ON WEBSITE
Chemical Resistance Charts	AVAILABLE ON WEBSITE
Performance Specifications	AVAILABLE ON WEBSITE

### Technical Information

Conduit Body	TB
Fitting Type	MARK 9
Product Category	FITTING
Product Family	Mark 9 Fittings

### Notes

- Not available with encapsulated screws.



- All cover screws are stainless steel