# 70-750DL11-1

Socket, SE Relays general purpose relay accessory, 3PDT, 16A, 600 V, 11 pins, screw clamp terminal, 750/750H series





#### Main

Product Range	Legacy
Product Type	Socket
Product Compatibility	relay 750XCXR[RETURN] relay 750XCXH[RETURN] suppressor module 70-ASMM[RETURN] diode 70-ASMD[RETURN] signalling device 70-ASMLG[RETURN] suppressor module 70-ASMR[RETURN] jumper wire 16-750CBJ-1
Number of Terminals	11
Switch Function	3PDT
Contact Composition	3 NO + 3 NC

Complementary

Rated Current	16 A	
[Ue] rated operational voltage	300 V	
Contact Terminal Arrangement	Mixed	
Connections Terminals	Screw clamp terminals solid for output Screw clamp terminals stranded for output	
Tightening Torque	< 1 N.m	
Fixing Mode	By screw M3.5, M3.5 panel Clip-on 35 mm DIN rail	
Shape of Screw Head	Combination roundhead	
Product Weight	2.75 oz (78 g)	
Width	1.50 in (38 mm)	
Depth	3.02 in (76.81 mm)	

### **Environment**

Ambient Air Temperature for Storage	-40221 °F (-40105 °C)
Ambient Air Temperature for Operation	-40131 °F (-4055 °C)
IP Degree of Protection	IP20
Flame Retardance	UL94-V0
Product Certifications	UL[RETURN]CSA[RETURN]CE

### Ordering and shipping details

Category	21127-ZELIO ICE CUBE RELAYS
Discount Schedule	CP2
GTIN	3606480277993
Returnability	Yes
Country of origin	CN


## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.19 in (8.1 cm)
Package 1 Width	1.50 in (3.8 cm)
Package 1 Length	1.46 in (3.7 cm)
Package 1 Weight	2.75 oz (78.0 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	3.27 in (8.3 cm)
Package 2 Width	2.91 in (7.4 cm)
Package 2 Length	7.64 in (19.4 cm)
Package 2 Weight	27.51 oz (780.0 g)
Unit Type of Package 3	BB1
Number of Units in Package 3	100
Package 3 Height	16.22 in (41.2 cm)
Package 3 Width	9.06 in (23.0 cm)
Package 3 Length	16.10 in (40.9 cm)
Package 3 Weight	37.48 lb(US) (17.0 kg)

## Offer Sustainability

Office Oddital lability	
Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EV RoHS  Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<sup>™</sup> China RoHS Declaration
RoHS exemption information	€Yes
Environmental Disclosure	☑ Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

## **Approximate Dimensions**



## Connections and Wiring Diagrams

