

Product data sheet

Specifications

SQUARE D



Circuit breaker accessory,
PowerPacT J, lug kit, mechanical,
150A to 250A, 1/0 to 300kcmil,
copper, qty 3

CU250JD

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	PowerPacT J
Product or Component Type	Mechanical lug
Accessory / separate part category	Connection accessory
Quantity per Set	Set of 3
Circuit breaker type	JD/JG/JJ/JL

Complementary

Line Rated Current	250 A
Material	Copper
Location of connection	Downstream Upstream
AWG gauge	AWG 1/0...300 kcmil copper
Tightening torque	247.8 lbf.in (28 N.m) 0.08...0.2 in ² (50...150 mm ²) (AWG 1/0...300 kcmil)

Environment

Product Certifications	CSA UL
------------------------	-----------

Ordering and shipping details

Category	US10DE201103
Discount Schedule	0DE2
GTIN	785901467861
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.00 in (5.080 cm)
Package 1 Width	4.00 in (10.160 cm)
Package 1 Length	5.00 in (12.700 cm)
Package weight(Lbs)	10.400 oz (294.835 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.


[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PVC free	Yes

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No