

RC CIR, clic-on contactor D09 D38 3P 24

LAD4RCE

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys	
Device short name	LAD4	
Product or Component Type	Suppressor module	
Product compatibility	3P LC1D09D38 4P LC1DT20DT40 4P LC1D098D258 CAD32, CAD50	

Complementary

Mounting Location	Side	
Mounting Mode	By clips	
Suppressor technology	RC circuit	
[Uc] control circuit voltage	2448 V AC	
Maximum peak voltage	3 Uc	
Net Weight	0.026 lb(US) (0.012 kg)	

Environment

Standards	IEC 60947-5-1 EN 60947-5-1 CSA C22.2 No 60947-5-1 UL 60947-5-1 GB/T 14048.5	
Product Certifications	UL CSA	
IP degree of protection	IP2XIEC 60529	
Ambient Air Temperature for Operation	-13131 °F (-2555 °C)	
Ambient Air Temperature for Storage	-40176 °F (-4080 °C)	

Ordering and shipping details

Category	US10I1222341	
Discount Schedule	0112	
GTIN	3389110385199	
Returnability	Yes	
Country of origin	FR	

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE	
Nbr. of units in pkg.	1	
Package 1 Height	0.59 in (1.500 cm)	
Package 1 Width	3.15 in (8.000 cm)	
Package 1 Length	1.57 in (4.000 cm)	
Package weight(Lbs)	0.494 oz (14.000 g)	
Unit Type of Package 2	S01	
Number of Units in Package 2	70	
Package 2 Height	5.91 in (15.000 cm)	
Package 2 Width	5.91 in (15.000 cm)	
Package 2 Length	15.75 in (40.000 cm)	
Package 2 Weight	2.612 lb(US) (1.185 kg)	
Unit Type of Package 3	P06	
Number of Units in Package 3	2240	
Package 3 Height	29.53 in (75.000 cm)	
Package 3 Width	23.62 in (60.000 cm)	
Package 3 Length	31.50 in (80.000 cm)	
Package 3 Weight	87.876 lb(US) (39.860 kg)	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.