


Product End of Life Instructions

PM8000/ION7400 Series Transducer Power Meter



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	PCBA, COMM I/O, PM8000	41.7	
To be depolluted	2	POWER SUPPLY MODULE, PM8000	114.3	
To be depolluted	3	PCBA, ANALOGUE, PM8000	52.71	
To be depolluted	4	PCBA, BACK PLANE, TRAN, PM8000	47.27	
To be depolluted	5	PCBA, CPU, PM8000, LATTICE	34.7	
To be depolluted	6	BAT POLY CF BTN 31/A*kg*m**2/s**3 120mAh	1.5	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The PowerLogic PM8000 series meters are compact, cost-effective multifunction power meters that will help you ensure reliability and efficiency of your power-critical facility. They reveal and provide understanding of complex power quality conditions enabling action to be taken to mitigate any issue. The PowerLogic PM8000 series meters have the versatility to perform nearly any job you need a meter to do, wherever you need it! The modular, flexible ION technology architecture enables a simple, building block approach for customizing each meter to any application. With patented Disturbance Direction Detection, revenue grade accuracy, multiple communication ports, onboard power quality analysis and web interface.
Product reference	METSEPM8243
Total representative product mass	528 g
Representative product dimensions	W 90.5mm x D 90.8mm x H 90.5mm
Date of information release	11-2025

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	13% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.se.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI1406022_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

11-2025