



# APC Symmetra LX Battery Module

SYBT5

## **Overview**

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually in Stock

# Main

Product or Component Type	Battery accessory
Number of rack unit	OU
Number of cables	1.0
Battery Type	Lead-Acid battery
Provided Equipment	Installation guide
Range of Product	Symmetra Battery Systems

## **Batteries & Runtime**

Battery location	Internal Battery	
Battery blocks per string	10	
Battery Slots Empty	0	
Included Battery Modules	0	
Device mounting	Enclosed battery cartridge	
Battery Voltage	120 V	
RBC Quantity	1	

# **Physical**

Height	5.51 in (14 cm)	
Width	8.27 in (21 cm)	
Depth	21.50 in (54.6 cm)	
Net Weight	64.2 lb(US) (29.1 kg)	
Mounting Mode	Not rack-mountable	
USB compatible	No	

### **Conformance**

Standards	UL 1778
Product Certifications	CSA

## **Environmental**

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient Air Temperature for Operation	32104 °F (040 °C)
Operating altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage altitude	015000 ft (04572 m)
Storage Relative Humidity	095 %

# Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS	
GTIN	731304218869	
Returnability	No	
Country of origin	PH	

# **Packing Units**

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	10.63 in (27.000 cm)
Package 1 Width	11.42 in (29.000 cm)
Package 1 Length	29.92 in (76.000 cm)
Package weight(Lbs)	67.241 lb(US) (30.500 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	8
Package 2 Height	29.53 in (75.000 cm)
Package 2 Width	31.50 in (80.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	564.384 lb(US) (256.000 kg)

# **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	1	

#### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

#### **Use Again**

○ Repack and remanufacture		
Take-back	Yes	

Image of product / Alternate images

### **Alternative**







