



NEMA combination starter, Type S, 60A fusible disconnect, Size 2, 45A, 25HP at 600VAC, 3 phase, 3 pole, Motor Logic SSOLR, 120VAC coil, NEMA 12 [TAA]

8538SDASP6

Product availability: Stock - Normally stocked in distribution facility

#### Main

Product	Combination Starter	
Туре	S	
Control Circuit Type	Separate control circuit	

## Complementary

· · · · · · · · · · · · · · · · · ·		
Control Circuit Voltage	110 V AC 50 Hz 120 V AC 60 Hz	
Starter Type	Non reversing	
Line Rated Current	45 A	
Number of Poles	3P	
Horsepower Rating	25 hp 460 V AC, 3 phase 25 hp 575 V AC, 3 phase	
Maximum Voltage Rating	600 V AC	
Control Units	Selector switch HAND-OFF-AUTO)	
Pilot Light	Red indicator on LED Green indicator off LED	
Auxiliary Contacts	2 NO + 2 NC	
Thermal overload type	Solid state Motor Logic class 10/20 1545 A	
Disconnect Type	Fusible disconnect switch H and K, 60 A, electrical SPDT	
NEMA size	2	
Height	27.75 in (704.85 mm)	
Depth	9.59 in (243.59 mm)	
Width	10.5 in (266.7 mm)	

### **Environment**

Enclosure Type	NEMA 12 painted sheet steel with external reset	
Product Certifications	CSA UL Listed	

## Ordering and shipping details

Category	US10CP121213
Discount Schedule	0CP1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

GTIN	785901908524	
Returnability	Yes	
Country of origin	MX	

# **Packing Units**

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	12.28 in (31.2 cm)
Package 1 Width	14.02 in (35.6 cm)
Package 1 Length	32.28 in (82.0 cm)
Package weight(Lbs)	49.03 lb(US) (22.24 kg)

# Compliance

Compliance TAA

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

#### **Use Better**

─────────────────────────────────────		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	Yes	
EU RoHS Directive	Not compliant	
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	

### **Use Again**

○ Repack and remanufacture	
Take-back	No