

Product data sheet

Specifications

SQUARE D



3500 G4 series controller

NF3500G4

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	System controller Web server
--------------	---------------------------------

Complementary

Number of Inputs	16
Number of Analog Input Terminals	4
Number of Time Schedules	64
Max Number of Remotely Operated Circuit Breakers per Subnet	168
Communication Port Protocol	Modbus TCP BACnet IP
Communication Network Type	Modbus RTU BACnet MS/TP C-Bus 1000BASE-T RS232 RS485
User Interface	Password protection
Program Characteristics	Boolean
Display Type	Backlit LCD
Product Certifications	UL Listed
Ambient Air Temperature for Operation	23...104 °F (-5...40 °C)

Ordering and shipping details

Category	US1DE8A09660
Discount Schedule	DE8A
GTIN	785901978954
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.00 in (12.7 cm)
Package 1 Width	9.00 in (22.86 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	11.00 in (27.94 cm)
Package weight(Lbs)	3.999 lb(US) (1.814 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.



[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Under investigation
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.