



## **N412 Single Door Wall-Mount Ultimate with Window 16X12X10 304 Stainless Steel**

By Wiegmann

Catalog # [N412161210WSSC](#)

N412 Single Door Wall-Mount Ultimate with Window 16X12X10  
304 Stainless Steel.



\*Representative Image

Features

- Hubbell Wiegmann N412WSSC ULTIMATE Stainless Steel Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments
- For use in installations where dirt, dust, oil, water or other contaminants are present
- Typically used in the following areas where corrosion-resistant protection is needed: food processing plants, pharmaceutical manufacturing facilities, petrochemical plants, pulp and paper processing and waste water treatment facilities
- Streamlined styling, flush latching and attractive stainless steel finish complement any high tech electronic equipment.

Application

Hubbell Wiegmann N412WSSC ULTIMATE Stainless Steel Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments. For use in installations where dirt, dust, oil, water, or other contaminants are pr

General

|                         |   |
|-------------------------|---|
| Catalog Number          | N412161210WSSC  |
| Color                   | Brushes Stainless Steel   |
| Construction            | Continuously Welded Seams   |
| Cover Type              | Door  |
| EU RoHS Indicator       | Yes   |
| Finish Type             | Smooth Grained Stainless  |
| Knockouts               | No  |
| Latches Type            | 1/4 Turn  |
| Listings                | <ul style="list-style-type: none"><li>• cULus</li><li>• IEC 60529</li></ul> |
| Material                | Stainless Steel   |
| Mounting Type           | Mounting Holes  |
| Number of Doors (Fixed) | 1   |
| Number of Holes         | 4   |
| Series                  | N412-WSSC   |
| Type                    | Enclosure   |
| UPC                     | 786725864010  |

Dimensions

|                |            |
|----------------|------------|
| Actual Depth   | 11.75 in   |
| Actual Height  | 18.5 in    |
| Actual Width   | 12.06 in   |
| Cubic Capacity | 1920 cu.in |
| Depth          | 10 in      |
| Height         | 16 in      |
| Weight         | 24 lb      |
| Width          | 12 in      |

Conductor Related

|             |    |
|-------------|----|
| Cable Entry | NO |
|-------------|----|

Certifications And Compliance

|                              |   |
|------------------------------|---|
| Certification - CSA Approved | NO  |
| Certification - ETL          | NO  |
| Certification - cULus        | YES   |
| Certified Listed             | <ul style="list-style-type: none"><li>• cULus</li><li>• IEC</li></ul>       |
| Industry Standard(s)         | <ul style="list-style-type: none"><li>• cULus</li><li>• IEC 60529</li></ul> |
| Nema Rating                  | 1,3R,12,13,4,4X   |
| UL Listed                    | Yes   |

Logistics

|                 |   |
|-----------------|---|
| Carton Quantity | 1 |
|-----------------|---|

Product Assets

- [3D Models - N412161210WSSC](#)
- [Brochures - Modify Enclosures and Panels in 3-5 days](#)
- [Brochures - Nema 4X Stainless Steel & Aluminum Enclosures](#)
- [Customer Notices - Prop 65 - Cancer & Reproductive Harm Notice](#)
- [Engineering Drawing - MOD Center Drawings Instructions](#)
- [Engineering Drawing - N412161210WSSC-MOD](#)
- [Engineering Drawing - HWDN412161210WSSC-S](#)
- [Sales Drawings - HWDN412161210WSSC-S](#)
- [SDS - HCC SDS](#)
- [Specifications - N412161210WSSC Specification Sheet](#)
- [Specifications - N412161210WSSC Specification Sheet French](#)
- [Specifications - N412161210WSSC](#)
- [Terms and Conditions - HCC Terms & Conditions](#)