




Winnie Industries

MANUFACTURER OF FASTENING SUPPORTS



MAGNETICS



STRUCTURED CABLING



LOW-VOLTAGE



SERIES™

2024



A message from our President

Jonathan Winnie, driven by a strong work ethic and fueled by a wealth of experience in generating innovative ideas, embarked on the journey of creating **Winnie Industries**. The company took root in 2015, operating out of Jonathan's parents' garage. With unwavering support from his family and an unyielding determination, Winnie Industries has grown from serving Chicagoland to the entire USA and Canada.

Winnie Industries has flourished into a **prominent manufacturer** of cutting-edge products meticulously designed to simplify installations. The commitment to excellence has made Winnie Industries a go-to choice for **contractors, installers and distributors** seeking quality products engineered to meet code requirements and industry standards. And because of this, it's no surprise that Jonathan currently holds **5 patents** in his name, with numerous other outstanding patents waiting to make their mark.



TABLE OF CONTENTS

Founded in 2015

Family-Owned Business

Innovative, High-Quality
Products

Easy to Work With

Personal & Friendly
Customer Service

UHD Magnetic Series 4

Magnetics 7

J Hooks 13

Bridle Rings 29

Attachments 33

Hardware 35

316 Stainless Steel 37

T Box 38

Cable Holders 40

Brackets 42

Retail 43

Warning: Winnie Industries products shall be installed properly, in a proper environment, and used under normal conditions in accordance with any labels or instructions. Improper installation, misuse, overload, abuse, or alteration in any manner, or overall, not used under normal conditions or not in accordance with any labels, instructions or industry standards may cause product malfunction, property damage, serious bodily injury and/or death, and void your warranty.

All cULus Listed products meet the requirements of one of the following UL standards: UL1565, UL2239, or UL514A. Please note not all items are UL listed.

Looking for Winnie Industries magnet and cable fastener solutions? Our products are available nationwide through our electrical, datacom and security distribution partners.

Proper Magnet Handling:

- Always handle neodymium magnets with care. Powerful magnets can snap together and can pinch your fingers or cause other injuries.
- Keep magnets away from magnetic media such as floppy disks, HDD, magnetic strip credit cards, hotel room keys, and CRT monitors.
- Keep neodymium magnets away from anyone with a pacemaker.
- Store magnets in closed containers so they don't attract metal.
- If several magnets are being stored, they should be stored in attracting positions.
- Magnets are not toys and should be kept away from children and pets.



**EXTREMELY STRONG, VERSATILE,
RELIABLE, DURABLE AND COST-
EFFECTIVE SOLUTION FOR HOLDING,
MOUNTING AND POSITIONING ON
THIN METAL**

The UHD Series from Winnie Industries is an extremely strong and durable magnetic cable management solution for category cable, low-voltage wire, coax, innerduct, flexible conduit and tubing. The patent-pending magnet is a rare earth neodymium magnet engineered for holding, mounting and positioning on THIN metal. Quickly and easily secure to steel beams, ceiling decks, sheet metal, metal joists, raised floors, van walls & any other ferromagnetic surfaces. With the UHD Series, you will save time and money on every install.

WUMAG-I420UHD



150 lb Ultra Heavy-Duty Mounting Magnet

ENGINEERED FOR MAX ATTACHMENT TO METAL LESS THAN 1 MM THICK

- Permanent alternate polarity-charged rare earth neodymium magnet
- Exceptionally strong when compared to conventional neodymium pot magnets
- Vertical pull force up to 150 lb on thin sheet metal
- Due to the intense magnetic attraction at the surface, will not easily slide like other magnets
- Sticks through oil, grease and dirty areas
- Provides the flexibility of being permanent or repositionable
- 1/4-20 threading enables the attachment of a wide variety of brackets, hooks and other holding attachments
- Black epoxy coating provides long-lasting performance in a variety of demanding indoor and outdoor conditions
- Ideal for temporary lights, signs, fixtures, tools, wire & cable, etc

MAGNETS WILL NOT INTERFERE WITH ETHERNET OR WI-FI SIGNALS

UHD SERIES

WUMAG-WJH12



3/4" J Hook, 150 lb Magnet, Wall Mount

WUMAG-WJH32AC



2" J Hook, 150 lb Magnet, Overhead Mount

WUMAG-WJH12AC



3/4" J Hook, 150 lb Magnet, Overhead Mount

WUMAG-WJH64



4" J Hook, 150 lb Magnet, Wall Mount

WUMAG-WJH21



1 5/16" J Hook, 150 lb Magnet, Wall Mount

WUMAG-WJH64AC



4" J Hook, 150 lb Magnet, Overhead Mount

WUMAG-WJH21AC



1 5/16" J Hook, 150 lb Magnet, Overhead Mount

WUMAG-WJH96



6" J Hook, 150 lb Magnet, Wall Mount

WUMAG-WJH32



2" J Hook, 150 lb Magnet, Wall Mount

WUMAG-WJH96AC



6" J Hook, 150 lb Magnet, Overhead Mount

UHD SERIES

WUMAG-WBRI25SHORT



1.25" Bridle Ring, 150 lb Magnet, Short

WUMAG-WBR4T200SDL



2" Bridle Ring, 150 lb Magnet, Saddle, 1.5" Stem

WUMAG-WBR200SHORT



2" Bridle Ring, 150 lb Magnet, Short

WUMAG-WBR4T400SDL



4" Bridle Ring, 150 lb Magnet, Saddle, 1.5" Stem

WUMAG-WBR200SHORTSDL



2" Bridle Ring, 150 lb Magnet, Short, Saddle

WUMAG-WBR4T200SS



2" Bridle Ring w/ 150 lb Magnet, 1.5" Standoff, Stainless Steel, Harsh Environment

WUMAG-WBR4TI25



1.25" Bridle Ring, 150 lb Magnet, 1.5" Stem

WUMAG-LINKSS



Ultra Magnetic Snap Hook 150 Lb

WUMAG-WBR4T200



2" Bridle Ring, 150 lb Magnet, 1.5" Stem





- Super-strong neodymium rare earth magnet provides a secure hold onto any ferromagnetic surface
- Protective steel cup directs magnetic field to fastening surface increasing magnetic pull force
- Nickel-plated cup provides excellent wear resistance & hardness
- Black epoxy coating adds corrosion resistance making them ideal for outdoor and high humidity environments
- Sticks through oil, grease, and dirty areas
- Magnets will not interfere with ethernet or Wi-Fi signals



WMAGI420-52



- 100 Lb Mounting Pot Magnet, N52
- Size: 53 x 10mm
 - Threaded Hole: 1/4 x 20
 - Magnet Grade: N52
 - Material: Nickel (NiCuNi)
 - Temperature Tolerance: -40°F – 176°F
 - Cup: Nickel-plated steel

WMAGI420



- 100 lb Mounting Pot Magnet, 1/4-20 Thread
- Size: 53 x 10mm
 - Threaded Hole: 1/4 x 20
 - Magnet Grade: N35
 - Material: Nickel (NiCuNi)
 - Temperature Tolerance: -40°F – 176°F
 - Cup: Nickel-plated steel

WMAG26



- 26 lb Counterbored Mounting Pot Magnet
- Size: 23.2mm x 4.5mm
 - Mounting Hole: 5mm
 - Grade: N45M
 - Magnet Plating: NdFeB
 - Temperature Tolerance: -40°F – 212°F
 - Cup: Zinc-plated steel

WMAG26BK



- 26 lb Counterbored Mounting Pot Magnet, Black
- Size: 23.2mm x 4.5mm
 - Mounting Hole: 5mm
 - Grade: N45M
 - Magnet Plating: NdFeB
 - Temperature Tolerance: -40°F – 212°F
 - Cup: Epoxy-coated steel

WMAGI6



- 16 lb Mounting Pot Magnet
- Size: 19mm x 4.5mm
 - Mounting Hole: 5mm
 - Grade: N45M
 - Magnet Plating: Nickel (NiCuNi)
 - Temperature Tolerance: -40°F – 212°F
 - Cup: Zinc-plated steel

WMAGI6BK



- 16 lb Counterbored Mounting Pot Magnet, Black
- Size: 19mm x 4.5mm
 - Mounting Hole: 5mm
 - Grade: N45M
 - Magnet Plating: Nickel (NiCuNi)
 - Temperature Tolerance: -40°F – 212°F
 - Cup: Epoxy-coated steel

MAGNETICS



WMCH050WH

16 lb Magnetic 1/2" Locking Gate Cable Holder, White



WMCH050BK

16 lb Magnetic 1/2" Locking Gate Cable Holder, UV, Black



WMCH075WH

16 lb Magnetic 3/4" Locking Gate Cable Holder, White



WMCH075BK

16 lb Magnetic 3/4" Locking Gate Cable Holder, UV, Black



WMCH100WH

26 lb Magnetic 1" Locking Gate Cable Holder, White



WMCH100BK

26 lb Magnetic 1" Locking Gate Cable Holder, UV, Black



WMCH125WH

26 lb Magnetic 1-1/4" Locking Gate Cable Holder, White



WMCH125BK

26 lb Magnetic 1-1/4" Locking Gate Cable Holder, UV, Black

PATENTED

Plenum
RATED



The **PATENTED Winnie MAG** series of Magnetic Cable Mounts with Locking Gate provides an innovative solution that effortlessly secures & routes cables with a powerful rare earth magnet. The exclusive Winnie Industries design locking gate snaps closed to hold cables in place.



MAGNETICS

WMAGI42OHLBK



100 lb Magnetic Grip Tape Mount,
UV, Black

WMAG26HLBK



26 lb Magnetic Grip Tape Mount, Black

WMAGI42OHLWH



100 lb Magnetic Grip Tape Mount,
White

WMAG26HLWH



26 lb Magnetic Grip Tape Mount, White

WMAG26BKCTUV



26 lb Magnetic Cable Tie Mount , UV, All Black

WMAG26BKHLBK



26 lb Magnetic Grip Tape Mount, UV,
All Black

WMAG26CTWH



26 lb Magnetic Cable Tie Mount, White

WMAGI6CTWH



16 lb Magnetic Cable Tie Mount, White

WMAG26CTUV



26 lb Magnetic Cable Tie Mount, UV, Black

WMAGI6CTUV



16 lb Magnetic Cable Tie Mount, UV, Black

MAGNETICS



WBR400SDLMAG

4" Magnetic Bridge Ring w/
Saddle, 100 lb Magnet



WBR200SDLMAG

2" Magnetic Bridge Ring w/
Saddle, 100 lb Magnet



WBRI25MAG

1 1/4" Magnetic Bridge
Ring, 100 lb Magnet



WBR200MAG

2" Magnetic Bridge Ring,
100 lb Magnet



WBRL200MAG

2" Magnetic Bridge Ring,
100 lb Magnet, 1.5" Stem



WBRL400MAG

4" Magnetic Bridge Ring,
100 lb Magnet, 1.5" Stem



WBRO75MAG

3/4" Magnetic Bridge
Ring, 26 lb Magnet



WBRO75MAGBK

3/4" Magnetic Bridge Ring,
26 lb Magnet, Black



WBRL075MAG

3/4" Magnetic Bridge Ring,
26 lb Magnet, 1.5" Stem



WBRL125MAG

1 1/4" Magnetic Bridge
Ring, 100 lb Magnet,
1.5" Stem

MAGNETICS



WJH12MAG

3/4" J Hook, 100 lb
Magnet, Wall Mount



WJH12ACMAG

3/4" J Hook, 100 lb
Magnet, Overhead Mount



WJH21MAG

1 5/16" J Hook, 100 lb
Magnet, Wall Mount



WJH21ACMAG

1 5/16" J Hook, 100 lb
Magnet, Overhead Mount



WJH32MAG

2" J Hook, 100 lb
Magnet, Wall Mount



WJH32ACMAG

2" J Hook, 100 lb
Magnet, Overhead Mount



WJH64MAG

4" J Hook, 100 lb
Magnet, Wall Mount



WJH64ACMAG

4" J Hook, 100 lb
Magnet, Overhead Mount



WJH96MAG

6" J Hook, 100 lb
Magnet, Wall Mount



WJH96ACMAG

6" J Hook, 100 lb
Magnet, Overhead Mount

MAGNETICS

WDR-200MAGI420



Magnetic 2" Aluminum Distribution Ring,
2x100 lb Magnet

WDR-200MAG26



Magnetic 2" Distribution Ring, 2x26 lb Magnet

WDR-300MAGI420



Magnetic 3" Aluminum Distribution Ring,
2x100 lb Magnet

WDR-300MAG26



Magnetic 3" Distribution Ring, 2x26 lb Magnet

WDR-500MAGI420



Magnetic 5" Aluminum Distribution Ring,
2x100 lb Magnet

WDR-500MAG26



Magnetic 5" Distribution Ring, 2x26 lb Magnet

WMAG4TFW



Magnetic Base, 1/4-20 Thread,
4x 26 lb Magnet

WMAG26HK



26 lb Magnetic Mini Hook

WMAG26CCO50



1/2" Conduit Clamp 26 lb Magnet

WMAG5CTBK



5 lb Magnetic Cable Tie Mount

J HOOKS



WJH12 **WJH21** **WJH32** **WJH64**
 3/4" J Hook 1 5/16" J Hook 2" J Hook 4" J Hook

Cable management solutions for data centers, connected buildings and other commercial network cable pathway applications

**Time saving and cost-effective alternative compared to using mesh cable basket or ladder tray
Provides excellent support for CAT5e, CAT6, CAT6A, CAT7 and fiber optic cables**



***AC**
90° Angle Clip



***W**
Batwing
(Multifunction) Clip



***SSBC**
Spring Steel
Beam Clamp



***ACSSBC**
Spring Steel Beam
Clamp, 360°



***PBC**
Pressed Beam
Clamp



***ACPBC**
Pressed Beam
Clamp, 360°



***ACM912**
Hammer On Flange
Clip 9/16-3/4, 360°



***HOK-24**
Hammer On Flange
Clip 1/8-1/4"



***ACM24**
Hammer On Flange
Clip 1/8-1/4", 360°



***HOK-58**
Hammer On Flange
Clip 5/16-1/2"



***ACM58**
Hammer On Flange
Clip 5/16-1/2", 360°



***AF14**
Z Purlin Clip



***ACPA**
90° Angle Clip w/
Powder Actuated Pin



***CC075**
Pedestal
Mount 3/4"


|Fully versatile J Hook solution with 14 interchangeable fasteners and support brackets|

|Ready to use out of the box, saving installation time and labor|

|Complies with NEC® and TIA/EIA requirements for structured cabling systems|



J HOOKS



All WJH21, WJH32, WJH64 styles include retaining clips to securely hold cable. The WJH12 has a bendable tab.



All J Hook attachments use screw and locknut construction, for easy interchangeability.



Constructed with heavy duty pre-galvanized steel with smooth, rounded edges, providing for proper bend radius



WJH12

3/4" J Hook



WJH21

1 5/16" J Hook



WJH32

2" J Hook



WJH64

4" J Hook



WJH96

6" J Hook

J HOOKS



WJH12AC

3/4" J Hook, 90°
Angle Clip



WJH12W

3/4" J Hook, Batwing



WJH21AC

1 5/16" J Hook, 90°
Angle Clip



WJH21W

1 5/16" J Hook, Batwing



WJH32AC

2" J Hook, 90°
Angle Clip



WJH32W

2" J Hook, Batwing



WJH64AC

4" J Hook, 90°
Angle Clip



WJH64W

4" J Hook, Batwing



WJH96AC

6" J Hook, 90°
Angle Clip



WJH96W

6" J Hook, Batwing

J HOOKS



WJH12PBC

3/4" J Hook, Pressed Beam Clamp



WJH12ACPBC

360°

3/4" J Hook, Pressed Beam Clamp, 360° Rotation



WJH21PBC

1 5/16" J Hook, Pressed Beam Clamp



WJH21ACPBC

360°

1 5/16" J Hook, Pressed Beam Clamp, 360° Rotation



WJH32PBC

2" J Hook, Pressed Beam Clamp



WJH32ACPBC

360°

2" J Hook, Pressed Beam Clamp, 360° Rotation



WJH64PBC

4" J Hook, Pressed Beam Clamp



WJH64ACPBC

360°

4" J Hook, Pressed Beam Clamp, 360° Rotation



WJH96PBC

6" J Hook, Pressed Beam Clamp



WJH96ACPBC

360°

6" J Hook, Pressed Beam Clamp, 360° Rotation



J HOOKS



WJH125SBC

3/4" J Hook, Spring Steel Beam Clamp



WJH125SBCU

3/4" J Hook, Spring Steel Beam Clamp, Upside Down Mount



WJH215SBC

1 5/16" J Hook, Spring Steel Beam Clamp



WJH215SBCU

1 5/16" J Hook, Spring Steel Beam Clamp, Upside Down Mount



WJH325SBC

2" J Hook, Spring Steel Beam Clamp



WJH325SBCU

2" J Hook, Spring Steel Beam Clamp, Upside Down Mount



WJH645SBC

4" J Hook, Spring Steel Beam Clamp



WJH645SBCU

4" J Hook, Spring Steel Beam Clamp, Upside Down Mount



WJH965SBC

6" J Hook, Spring Steel Beam Clamp



WJH965SBCU

6" J Hook, Spring Steel Beam Clamp, Upside Down Mount

J HOOKS

WJH12ACSSBCU



3/4" J Hook, Angle Clip,
Spring Steel Beam Clamp,
Upside Down Mount,
Rotatable

WJH12ACSSBC



360°

3/4" J Hook, Angle
Clip, Spring Steel Beam
Clamp, 360° Rotation

WJH21ACSSBCU



1 5/16" J Hook, Angle Clip,
Spring Steel Beam Clamp,
Upside Down Mount,
Rotatable

WJH21ACSSBC



360°

1 5/16" J Hook, Angle Clip,
Spring Steel Beam
Clamp, 360° Rotation

WJH32ACSSBCU



2" J Hook, Angle Clip,
Spring Steel Beam Clamp,
Upside Down Mount,
Rotatable

WJH32ACSSBC



360°

2" J Hook, Angle Clip,
Spring Steel Beam Clamp,
360° Rotation

WJH64ACSSBCU



4" J Hook, Angle Clip,
Spring Steel Beam
Clamp, Upside Down
Mount, Rotatable

WJH64ACSSBC



360°

4" J Hook, Angle Clip,
Spring Steel Beam Clamp,
360° Rotation

WJH96ACSSBCU



6" J Hook, Angle Clip,
Spring Steel Beam
Clamp, Upside Down
Mount, Rotatable

WJH96ACSSBC



360°

6" J Hook, Angle Clip,
Spring Steel Beam Clamp,
360° Rotation



J HOOKS



WJH12HOK-24

3/4" J Hook, Hammer on Beam Clamp, 1/8"-1/4" Flange



WJH12ACM24

360°

3/4" J Hook, Angle Clip, Hammer on Beam Clamp, 1/8"-1/4" Flange, 360° Rotation



WJH21HOK-24

1 5/16" J Hook, Hammer on Beam Clamp, 1/8"-1/4" Flange



WJH21ACM24

360°

1 5/16" J Hook, Angle Clip, Hammer on Beam Clamp, 1/8"-1/4" Flange, 360° Rotation



WJH32HOK-24

2" J Hook, Hammer on Beam Clamp, 1/8"-1/4" Flange



WJH32ACM24

360°

2" J Hook, Angle Clip, Hammer on Beam Clamp, 1/8"-1/4" Flange, 360° Rotation



WJH64HOK-24

4" J Hook, Hammer on Beam Clamp, 1/8"-1/4" Flange



WJH64ACM24

360°

4" J Hook, Angle Clip, Hammer on Beam Clamp, 1/8"-1/4" Flange, 360° Rotation



WJH96HOK-24

6" J Hook, Hammer on Beam Clamp, 1/8"-1/4" Flange



WJH96ACM24

360°

6" J Hook, Angle Clip, Hammer on Beam Clamp, 1/8"-1/4" Flange, 360° Rotation

J HOOKS



WJH12HOK-58

3/4" J Hook, Hammer on Beam Clamp, 5/16"-1/2" Flange



WJH12ACM58

360°

3/4" J Hook, Angle Clip, Hammer on Beam Clamp, 5/16"-1/2" Flange, 360° Rotation



WJH21HOK-58

1 5/16" J Hook, Hammer on Beam Clamp, 5/16"-1/2" Flange



WJH21ACM58

360°

1 5/16" J Hook, Angle Clip, Hammer on Beam Clamp, 5/16"-1/2" Flange, 360° Rotation



WJH32HOK-58

2" J Hook, Hammer on Beam Clamp, 5/16"-1/2" Flange



WJH32ACM58

360°

2" J Hook, Angle Clip, Hammer on Beam Clamp, 5/16"-1/2" Flange, 360° Rotation



WJH64HOK-58

4" J Hook, Hammer on Beam Clamp, 5/16"-1/2" Flange



WJH64ACM58

360°

4" J Hook, Angle Clip, Hammer on Beam Clamp, 5/16"-1/2" Flange, 360° Rotation



WJH96HOK-58

6" J Hook, Hammer on Beam Clamp, 5/16"-1/2" Flange



WJH96ACM58

360°

6" J Hook, Angle Clip, Hammer on Beam Clamp, 5/16"-1/2" Flange, 360° Rotation

J HOOKS



WJH12ACM912

360°

3/4" J Hook, Angle Clip,
Hammer on Beam Clamp,
9/16"-3/4" Flange,
360° Rotation



WJH12AF14

3/4" J Hook, Z Purlin
Hammer on Angle Flange
Clip, 1/16"-1/4"



WJH21ACM912

360°

1 5/16" J Hook, Angle Clip,
Hammer on Beam Clamp,
9/16"-3/4" Flange,
360° Rotation



WJH21AF14

1 5/16" J Hook Z Purlin,
Hammer on Angle Flange
Clip, 1/16"-1/4"



WJH32ACM912

360°

2" J Hook, Angle Clip,
Hammer on Beam Clamp,
9/16"-3/4" Flange,
360° Rotation



WJH32AF14

2" J Hook, Z Purlin
Hammer on Angle Flange
Clip, 1/16"-1/4"



WJH64ACM912

360°

4" J Hook, Angle Clip,
Hammer on Beam Clamp,
9/16"-3/4" Flange,
360° Rotation



WJH64AF14

4" J Hook, Z Purlin
Hammer on Angle
Flange Clip, 1/16"-1/4"



WJH96ACM912

360°

6" J Hook, Angle Clip,
Hammer on Beam Clamp,
9/16"-3/4" Flange,
360° Rotation



WJH96AF14

6" J Hook, Z Purlin
Hammer on Angle
Flange Clip, 1/16"-1/4"

J HOOKS



WJH12ACPA

3/4" J Hook, Angle Clip,
Powder Actuated Pin



WJH12CC075

3/4" J Hook, 3/4"
Pedestal Mount



WJH21ACPA

1 5/16" J Hook, Angle Clip,
Powder Actuated Pin



WJH21CC075

1 5/16" J Hook, 3/4"
Pedestal Mount



WJH32ACPA

2" J Hook, Angle Clip,
Powder Actuated Pin



WJH32CC075

2" J Hook, 3/4"
Pedestal Mount



WJH64ACPA

4" J Hook, Angle Clip,
Powder Actuated Pin



WJH64CC075

4" J Hook, 3/4"
Pedestal Mount



WJH96ACPA

6" J Hook, Angle Clip,
Powder Actuated Pin



WJH96CC075

6" J Hook, 3/4"
Pedestal Mount



PAINTED J HOOKS



WJH12BK

3/4" J Hook, Black



WJH12WH

3/4" J Hook, White



WJH21BK

1 5/16" J Hook, Black



WJH21WH

1 5/16" J Hook, White



WJH32BK

2" J Hook, Black



WJH32WH

2" J Hook, White



WJH64BK

4" J Hook, Black



WJH64WH

4" J Hook, White



WJH96BK

6" J Hook, Black



WJH96WH

6" J Hook, White

PAINTED J HOOKS



WJH12BU

3/4" J Hook, Blue



WJH12RD

3/4" J Hook, Red



WJH21BU

1 5/16" J Hook, Blue



WJH21RD

1 5/16" J Hook, Red



WJH32BU

2" J Hook, Blue



WJH32RD

2" J Hook, Red



WJH64BU

4" J Hook, Blue



WJH64RD

4" J Hook, Red

Winnie Industries painted J Hooks are ideal for use in data centers, connected buildings and other commercial cable management applications where there is a need to designate separate pathways.

The primary benefit of using color-coded pathways is that it allows network engineers

to identify which cable run serves what purpose according to the color of the J Hook that supports the cable. For example, different color-coding could be used to denote cabling that would lead to a different part of the installation, different floors or primary and redundant systems. The color-coded identification of J Hooks will

PAINTED J HOOKS



WJH12GR

3/4" J Hook, Green



WJH12PU

3/4" J Hook, Purple



WJH21GR

1 5/16" J Hook, Green



WJH21PU

1 5/16" J Hook, Purple



WJH32GR

2" J Hook, Green



WJH32PU

2" J Hook, Purple



WJH64GR

4" J Hook, Green



WJH64PU

4" J Hook, Purple

be useful for future moves, adds and changes (MACs).

Our WJH Series J Hooks are available in 8 different colors – white, black, red, blue, orange, green, purple and yellow – allow cabling system managers to easily identify different cable pathways according to the color of the J Hook.

Fully versatile, we can configure the painted J Hooks with 16 different attachments or magnets, based on your installation requirements. Beam clamp for the ceiling, pedestal clamp for under the floor or custom-configured trees, we keep your cables organized. With our Fast Build Program, we can quickly build custom J Hook Trees to match your color requirements.

PAINTED J HOOKS



WJH12YL

3/4" J Hook, Yellow



WJH12OR

3/4" J Hook, Orange



WJH21YL

1 5/16" J Hook, Yellow



WJH21OR

1 5/16" J Hook, Orange



WJH32YL

2" J Hook, Yellow



WJH32OR

2" J Hook, Orange



WJH64YL

4" J Hook, Yellow



WJH64OR

4" J Hook, Orange



At Winnie Industries, we understand that not all projects can be fulfilled with off-the-shelf products. The Quick Build program is designed to meet the needs of customers who have immediate requirements for custom configurations without large order commitments or extended lead times. Built by experts with fast turnaround, we can offer quality customizations for many of the products we manufacture.

SINGLE SIDED J HOOK TREES

WJHT-2JH2ISD



J Hook Tree w/ 2x
1 5/16" J Hooks,
Single Sided

WJHT-2JH32SD



J Hook Tree w/ 2x
2" J Hooks,
Single Sided

WJHT-3JH2ISD



J Hook Tree w/ 3x
1 5/16" J Hooks,
Single Sided

WJHT-3JH32SD



J Hook Tree w/ 3x
2" J Hooks,
Single Sided

WJHT-2JH64SD



J Hook Tree w/ 2x
4" J Hooks,
Single Sided

WJHT-3JH64SD



J Hook Tree w/ 3x
4" J Hooks,
Single Sided

WJHT-2JH2IDBL



J Hook Tree w/ 2x 1
5/16" J Hooks,
Double Sided

WJHT-2JH32DBL



J Hook Tree w/ 2x
2" J Hooks,
Double Sided

The variety of configurations that J Hooks can be configured with is near unlimited so trust the professionals at Winnie Industries to help guide you with the appropriate solution. If you need a double-sided, color-coded J Hook tree to something simpler like a painted bridle ring, allow us to build your solution so you are ready to install right out of the box. There are no minimum order quantities, and your order typically ships within one week.



DOUBLE SIDED J HOOK TREES

WJHT-4JH2ISD



J Hook Tree w/ 4x
1 5/16" J Hooks,
Single Sided

WJHT-4JH32SD



J Hook Tree w/
4x 2" J Hooks,
Single Sided

WJHT-4JH2IDBL



J Hook Tree w/ 4x
1 5/16" J Hooks,
Double Sided

WJHT-4JH32DBL



J Hook Tree w/
4x 2" J Hooks,
Double Sided

WJHT-4JH64SD



J Hook Tree w/ 4x
4" J Hooks,
Single Sided

WJHT-4JH64DBL



J Hook Tree w/ 4x
4" J Hooks,
Double Sided

WJHT-2JH64DBL



J Hook Tree w/ 2x
4" J Hooks,
Double Sided

WJHT-2JH96DBL



J Hook Tree w/ 2x
6" J Hooks,
Double Sided

We Create Project-Specific Solutions

BRIDLE RINGS

WBR4T200SDL



2" Bridle Ring,
1/4-20 Thread, Saddle

WBR4T200SDLBK



2" Bridle Ring,
1/4-20 Thread, Saddle,
All Black

WBR4T400SDL



4" Bridle Ring,
1/4-20 Thread, Saddle

WBR4T400SDLBK



4" Bridle Ring,
1/4-20 Thread, Saddle,
All Black

WBR5200SSBC



4" Bridle Ring,
1/4-20 Thread, Saddle

WBR200SDLWS



2" Bridle Ring,
Wood Screw Thread, Saddle

WBR5200



2" Saddle Only for
Bridle Ring

Winnie Industries Bridle Ring with Saddle

is a fast and cost-effective alternative cable management solution for network cable pathway applications designed for high-performance data cable. The plenum-rated saddle provides optimal bending radius and support for sensitive fiber optic and data cable bundles. Easily combine with any of our attachments or magnets to install to most structural components

- Crafted from heavy-duty, zinc plated steel which allows for great durability & corrosion resistance.
- Can be used on walls and ceilings, making them ideal for multi-directional cable runs.
- Designed with an open loop for easy cable installation.

Plenum
RATED



BRIDLE RINGS



WBR4TI25

1 1/4" Bridle Ring,
1/4-20 Thread



WBRI25LONG

1 1/4" Bridle Ring, 1/4-20
Thread, 3.5" Long Thread



WBR4T200

2" Bridle Ring,
1/4-20 Thread



WBRI25SHORT

1 1/4" Bridle Ring, 1/4-20
Thread, Short Stem



WBR4T400

4" Bridle Ring,
1/4-20 Thread



WBRI25SSBC

1 1/4" Bridle Ring, 1/4-20
Thread, Spring Steel Beam
Clamp, Bottom Mount



WBRI25WS

1 1/4" Bridle Ring,
Wood Screw Thread



WBRI25PBCSD

1 1/4" Bridle Ring,
1/4-20 Thread,
Pressed Beam Clamp,
Side Mount



WBR200WS

2" Bridle Ring, Wood
Screw Thread



WBR400SSBC

4" Bridle Ring, 1/4-20
Thread, Spring Steel Beam
Clamp, Bottom Mount



BRIDLE RINGS

WBR200LONG



2" Bridle Ring, 1/4-20 Thread, 3.5" Long Thread

WBRI25SSBCSD



1-1/4" Bridle Ring, 1/4-20 Thread, Spring Steel Beam Clamp, Side Mount

WBR200SHORT



2" Bridle Ring, 1/4-20 Thread, Short Stem

WBR200SSBCSD



2" Bridle Ring, 1/4-20 Thread, Spring Steel Beam Clamp, Side Mount

WBR200SSBC



2" Bridle Ring, 1/4-20 Thread, Spring Steel Beam Clamp, Bottom Mount

WBRI25BW34



1 1/4" Bridle Ring, 1/4-20 Thread, Batwing

WBRI25PBCBTM



1 1/4" Bridle Ring, 1/4-20 Thread, Pressed Beam Clamp, Bottom Mount

WBR200M24BT



2" Bridle Ring, Hammer on Flange Clip (1/8"-1/4"), Bottom Mount

WBR200PBCBTM



2" Bridle Ring, 1/4-20 Thread, Pressed Beam Clamp, Bottom Mount

WBRI25AC



1 1/4" Bridle Ring, 1/4-20 Thread, 90° Angle Clip

BRIDLE RINGS

WBR400AC



4" Bridle Ring, 1/4-20 Thread, 90° Angle Clip

WBRI25ACT



1 1/4" Bridle Ring, 1/4-20 Thread, 90° Angle Clip, Powder Actuated Shot

WBR200ACT



2" Bridle Ring, 1/4-20 Thread, 90° Angle Clip, Powder Actuated Shot

WBR400ACT



4" Bridle Ring, 1/4-20 Thread, 90° Angle Clip, Powder Actuated Shot

WBR200BW34



2" Bridle Ring, 1/4-20 Thread, Batwing

WBRI25DW



1 1/4" Bridle Ring, 10-24 Thread, Drywall Anchor

WBR200M58BT



2" Bridle Ring, Hammer on Flange Clip (5/16"-1/2"), Bottom Mount

WBR200DW



2" Bridle Ring, 10-24 Thread, Drywall Anchor

WBR200AC



2" Bridle Ring, 1/4-20 Thread, 90° Angle Clip



ATTACHMENTS

WM24



Hammer on Beam Clamp
for 1/8"-1/4" Flange,
Bottom Mount

WPBC



Pressed Beam Clamp

WM58



Hammer on Beam Clamp
for 5/16"-1/2" Flange,
Bottom Mount

WSSBC



Spring Steel Beam Clamp

WM912



Hammer on Beam Clamp
for 9/16"-3/4" Flange,
Bottom Mount

WMBC4T



1/4-20 Malleable
Beam Clamp

WHOK-24



Hammer on Beam Clamp
for 1/8"-1/4" Flange,
Side Mount

WMBC4T-WM



1/4-20 Malleable Beam
Clamp, Wide,
1-3/8" Jaw Opening

WHOK-58



Hammer on Clamp for
5/16"-1/2" Flange,
Side Mount

WAF14



Z Purlin Hammer on Angle
Flange Clip, 1/16"-1/4"

ATTACHMENTS

WAC



90° Angle Clip

WBW34



Batwing (Multifunction) Clip for
12awg Wire, 3/8" Rod

WANGLE4T



Angle Clip, 1/4" Hole, 1/4-20
Threaded Eyelet

W8Z34



Batwing (Multifunction) Clip for 1/2",
5/8" Rod

WACTUATED4T



Powder Actuated Screw,
1/4-20 Eyelet

WACPA



Power Actuated Shot,
90° Angle Clip

The WJH Series is fully versatile, as we offer 16 different attachments or magnets. The attachments are designed to work with j hooks, bridle rings, threaded rod, drop rods, "S" hooks, conduit hangers, and electrical boxes providing you the right solution for attaching to beams, ceilings, walls, rod, etc. And with our Quick Build Program, we can configure the attachment based on your installation requirements.



HARDWARE

WDR-200



2" Aluminum Distribution Ring

WESGI



Easy Snap Universal Metal Stud Grommet, 1.315" OD

WDR-300



3" Aluminum Distribution Ring

WESGP



Easy Snap Universal Metal Stud Grommet, Anti-Rattle Protection

WDR-500



5" Aluminum Distribution Ring

WJH125RTAN



1 5/16" J Hook Retaining Clip, 100pk

O50GRIPTAPE



.50" Self Gripping Tape (Hook & Loop), 75 Ft Roll, Black

WJH200RTAN



2" J Hook Retaining Clips, 100pk

O75GRIPTAPE



.75" Self Gripping Tape (Hook & Loop), 75 Ft Roll, Black

WJH400RTAN



4" J Hook Retaining Clips, 25pk

HARDWARE

WRMSI438



3/8" 1/4-20 Thread, Machine Screw, Button Head, Philips, Zinc Plated, 100 Pk

WRMSI412



1/2" 1/4-20 Thread, Machine Screw, Button Head, Philips, Zinc Plated, 100 Pk

WRMSI438



3/8" 1/4-20 Thread, Machine Screw, Button Head, Philips, Black, 100 Pk

WHNI420BK



1/4-20 Hex Nut, Zinc Plated, Black, 100pk

WHNI420



1/4-20 Hex Nut, Zinc Plated, 100pk

4-I4AL



Aluminum Lay-in Grounding Lug, #14-#4 AWG, Slot Screw

WLWI4



1/4" Locking Washer, Zinc Plated, 100pk

I-O-8AL



Aluminum Lay-in Grounding Lug, 1/0-8 AWG, Slot Screw

WJN1420



1/4-20 Jam Nut, Zinc Plated, 100pk

250MCM-6AL



Aluminum Lay-in Grounding Lug, 250MCM-6 AWG, Slot Screw

316 STAINLESS STEEL



WJH12SS

3/4" J Hook, 316
Stainless Steel



WJH21SS

1 5/16" J Hook, 316
Stainless Steel



WJH32SS

2" J Hook, 316
Stainless Steel



WJH64SS

4" J Hook, 316
Stainless Steel



WBR4T125SS

1 1/4" Bridle Ring,
1/4-20 Thread, 316
Stainless Steel



WBR4T200SS

2" Bridle Ring,
1/4-20 Thread, 316
Stainless Steel



WBR4T400SS

4" Bridle Ring,
1/4-20 Thread, 316
Stainless Steel

Corrosion resistant cable management solutions from Winnie Industries are engineered and manufactured from premium grade, rust resistant 316 stainless steel for harsh environments in commercial network cable pathway applications. The superior corrosion resistance makes them ideal for applications in aggressive environments and exposure to chlorides, acids, and marine conditions.



Eliminate the need for bends or offsets by allowing conduit runs to enter straight into the box



PATENTED

Features

- Galvanized steel construction
- Welded design for strength and ease of use
- Extra deep for added volume and wire bending space
- Double gang
- Raised ground for easy install
- Ideal for use in commercial or industrial applications where larger-sized conductors or wiring devices are needed
- Use where extra depth is needed for dimmers, cameras, speakers, strobes, signals and electronic devices
- Suitable for use without a bonding jumper in circuits up to 600 volts
- Tested in accordance with UL 514-A and CSA C22.2 No. 18.1 standard for metallic outlet boxes
- UL & CUL Listed

Installation

- Direct ceiling mount to joist or strut
- Ideal for exposed ceiling applications
- With appropriate fittings, T Box™ may be used with conduit, metal-clad (MC) cable, or nonmetallic-sheathed (NM) cable



Designed and manufactured only by Winnie Industries



WTBOX232

T Box™ 4" Square Electrical Junction Box

- 43 cubic inch capacity
- (8) 1/2" knockouts
- (6) 1/2"-3/4" knockouts
- (2) 8-32 combination Phillips/slotted screws
- Use in applications where multiple conductor runs are split into two or more direction



WTBOX257

T Box™ 4-11/16" Square Electrical Junction Box

- 60 cubic inch capacity
- (2) 1"-3/4" knockouts
- (12) 3/4"-1/2" knockouts
- (2) 8-32 combination Phillips/slotted screws
- Accepts standard 4-11/16" square devices and flat covers

WTBOX232-8I2



WTBOX232 Pre-attached to the Conduit Box Mount, Preassembled on With Two 1/2" & 3/4" Snap Close Conduit Clamps

WTBOX257-I6M



WTBOX257 Pre-attached to the Conduit Box Mount, Preassembled on With Two 3/4" and 1" Snap Close Conduit Clamps
Conduit and Fittings Not Included.

W8I2M



Snap Close
Conduit Clip for 1/2", 3/4"

W16M



Snap Close
Conduit Clip for 1", 3/4"

WCBS



Conduit Box Support Bracket. 18" Long and 2" Wide. 1/4" Mounting Holes



CABLE HOLDERS

WHLMBK



Fits 3/4" Hook & Loop

1" Wide Hook & Loop Cleat, 1/4" Screw Hole, UV, Black

WCHO50WH



1/2" Locking Gate Cable Holder, White

WHLMWH



Fits 3/4" Hook & Loop

1" Wide Hook & Loop Cleat, 1/4" Screw Hole, White

WCHO75WH



3/4" Locking Gate Cable Holder, White

WCTMBK



Fits Standard Cable Ties

Black Cable Tie Mount, Fits 1" Standard Cable Ties

WCH100WH



1" Locking Gate Cable Holder, White

WCTMWH



Fits Standard Cable Ties

Cable Tie Mount, 5mm Center Hole, White

WCH125WH



1 1/4" Locking Gate Cable Holder, White

Organize & Maintain



The **Cable Tie Holder** provides an innovative mounting solution that effortlessly secures & routes wire and cable. The black holder is UV resistant to avoid degradation caused by ultraviolet rays.

CABLE HOLDERS

WCH050BK




1/2" Locking Gate Cable Holder, UV, Black



WCH075BK



3/4" Locking Gate Cable Holder, UV, Black



WCH100BK



1" Locking Gate Cable Holder, UV, Black



WCH125BK



1 1/4" Locking Gate Cable Holder, UV, Black



The **Locking Gate Cable Holder** provides an innovative locking solution that effortlessly secures & routes cables. Easily attach to various fastening hardware or directly to flat surface with anchor. The black holder is UV resistant to avoid degradation caused by ultraviolet rays.

Plenum
RATED



BRACKETS



WHK200

2" Data Communication O Hook


- Heavy duty pre-galvanized steel
- One-part design, push to close to secure cables
- Rounded edges for the proper bend radius of cables
- Ideal for category cable, low-voltage wire, fiber optic cable, innerduct, and flexible conduit
- Easy installation to wall or ceiling



W512HD

24" Heavy-Duty Ceiling Grid T-Bar Bracket, Mounting Clip

- Quickly mounts a box to T-bar ceiling grid
- Adjustable height for various electrical box depths
- Mounts flush with face of ceiling tile
- Easily screws to T-bar for added stability
- 50lb load capacity



WCMB-1


Low Voltage Drywall Bracket, Single-Gang

- Manufactured using pre-galvanized steel
- Designed to fit 1/2" to 1-1/2" drywall
- Drywall bracket eliminates the need for electrical box
- Compatible with all standard single gang faceplates
- Provides for a clean aesthetic in both commercial and residential applications
- For low-voltage Class 2 applications only



W512HDEXT

Extension Bracket for Heavy-Duty T-Bar Bracket, 3 5/8"



WCMB-2

Low Voltage Drywall Bracket, Double-Gang

- Manufactured using pre-galvanized steel
- Designed to fit 1/2" to 1-1/2" drywall
- Drywall bracket eliminates the need for electrical box
- Compatible with all standard double gang faceplates
- Provides for a clean aesthetic in both commercial and residential applications
- For low-voltage Class 2 applications only



WACEXT

Angle Bracket Extension for J Hook Tree



Part #	Description	Qty
RETAIL		
WUMAG-1420UHD-5	150 lb Ultra Heavy-Duty Mounting Magnet	5
WMAG1420-10	100 lb Mounting Pot Magnet, 1/4-20 Thread	10
WMAG26-10	26 lb Counterbored Mounting Pot Magnet	10
WMAG26BK-10	26 lb Counterbored Mounting Pot Magnet	10
WMAG16-10	16 lb Mounting Pot Magnet	10
WMAG16BK-10	16 lb Counterbored Mounting Pot Magnet	10
WMAG1420HLBK-10	100 lb Magnetic Grip Tape Mount, UV, Black	10
WMAG1420HLWH-10	100 lb Magnetic Grip Tape Mount, White	10
WMAG26BKCTUV-10	26 lb Magnetic Cable Tie Mount , UV, All Black	10
WMAG26BKHLBK-10	26 lb Magnetic Grip Tape Mount, UV, All Black	10
WMAG26CTUV-10	26 lb Magnetic Cable Tie Mount, UV, Black	10
WMAG26CTWH-10	26 lb Magnetic Cable Tie Mount, White	10
WMAG26HLBK-10	26 lb Magnetic Grip Tape Mount, UV, Black	10
WMAG26HLWH-10	26 lb Magnetic Grip Tape Mount, White	10
WMAG16BKCTUV-10	16 lb Magnetic Cable Tie Mount, UV, All Black	10
WMAG16CTUV-10	16 lb Magnetic Cable Tie Mount, UV, Black	10
WMAG16CTWH-10	16 lb Magnetic Cable Tie Mount, White	10
WMAG5CTBK-10	5 lb Magnetic Cable Tie Mount	10
WMCH050BK-10	1/2" Magnetic Cable Holder, UV, Black	10
WMCH050WH-10	1/2" Magnetic Cable Holder, White	10
WMCH075BK-10	3/4" Magnetic Cable Holder, UV, Black	10
WMCH075WH-10	3/4" Magnetic Cable Holder, White	10
WMCH100BK-10	1" Magnetic Cable Holder, UV, Black	10
WMCH100WH-10	1" Magnetic Cable Holder, White	10
WMCH125BK-10	1 1/4" Magnetic Cable Holder, UV, Black	10
WMCH125WH-10	1 1/4" Magnetic Cable Holder, White	10
WMAG26HK-10	26 lb Magnetic Mini Hook	10
WBR125MAG-10	1 1/4" Magnetic Bridle Ring, 100 lb Magnet	10
WBR200MAG-10	2" Magnetic Bridle Ring, 100 lb Magnet	10
WBRL200MAG-10	2" Magnetic Bridle Ring, 100 lb Magnet, 1.5" Stem	10
WBRL400MAG-10	4" Magnetic Bridle Ring, 100 lb Magnet, 1.5" Stem	10
WBR200SDLMAG-10	2" Magnetic Bridle Ring w/ Saddle, 100 lb Magnet	10
WBR075MAG-10	3/4" Magnetic Bridle Ring, 26 lb Magnet	10
WBR075MAGBK-10	3/4" Magnetic Bridle Ring, 26 lb Magnet, Black	10
WBRL075MAG-10	3/4" Magnetic Bridle Ring, 26 lb Magnet, 1.5" Stem	10
WBRL125MAG-10	1 1/4" Magnetic Bridle Ring, 100 lb Magnet, 1.5" Stem	10

Great addition for Store Fronts, Will Calls & City Desks



Winnie Industries

MANUFACTURER OF FASTENING SUPPORTS



Winnie Industries was established in 2015 by Jonathan Winnie, who at the time operated out of his parent's garage. With the support of his family, the company has become a leading manufacturer of innovative products engineered and manufactured to make installs easier. Jonathan constantly seeks to find a better way of fastening, which has allowed the company to grow to offer a comprehensive portfolio of high-quality, UL-listed fastening hardware including j hooks, bridle rings, beam clamps, magnets, our exclusive junction t boxes, plus other unique products. Our cable management solutions are used by structured cabling installers to support data communication, fire alarm and other low voltage wire. If you have a particular install, we can quickly provide color-coded j hooks, j hook trees or custom build a product for your application. From traditional installations to specialty applications, Winnie Industries has a solution to keep you fastened.

We're always here to support you – our customers and partners. Winnie Industries prioritizes our customers and the relationship to ensure products, services, and support meet your needs.



Specify Winnie...

- Since 2015
- Family Owned & Operated
- Personal & Friendly Customer Service

© Winnie Industries, LLC. All Rights Reserved. Drawings are proprietary and may not be copied or used without express written permission.

202405



Learn More

engineered and manufactured to make installs easier

winnieindustries.com



5420 Newport Dr. Unit 62
Rolling Meadows, IL 60008

224-993-0011
sales@winnieindustries.com